




LED
DECO-
RATIVE
WALL
LIGHTS






A vertical beam of light, appearing as a bright yellow-orange line, passes through a white square in the center of a dark, black background. The light beam is slightly blurred and has a soft glow around the square. The overall composition is minimalist and symbolic.


LIGHT
BEGINS
FROM
DARKNESS






code **GD-LWA161**
 casing steel / white painting
 lamping LED 4X1W / Ra>80 /280LM
 Beam 8 degree /
 2700K/3000K/4000K/6000K
 installation    IP20

surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037




code **GD-LWA158**
 casing steel / white painting
 lamping LED 4X1W / Ra>80 /280LM
 Beam 8 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037



code **GD-LWA159**
 casing steel / white painting
 lamping LED 1X1W / Ra>80 /70LM
 Beam 8 degree /
 2700K/3000K/4000K/6000K
 installation IP20


surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037





code **GD-LWA160**
 casing steel / white painting
 lamping LED 2X1W / Ra>80 /140LM
 Beam 8 degree /
 2700K/3000K/4000K/6000K
 installation IP20



surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037






code **GD-LWA156**
 casing steel / white painting
 lamping LED 2X1W / Ra>80 /140LM
 Beam 8 degree /
 2700K/3000K/4000K/6000K
 installation    IP20



code **GD-LWA157**
 casing steel / white painting
 lamping LED 3X1W / Ra>80 /210LM
 Beam 8 degree /
 2700K/3000K/4000K/6000K
 installation    IP20

surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037



code **GD-LWA166**

casing steel / white painting


lamping LED 1W / Ra>80 / 70LM

Beam 8 degree /



2700K/3000K/4000K/6000K




installation     IP20

surface customizable  black paint equal to RAL9011


 concrete grey paint similar to RAL7037






code **GD-LWA167**
casing steel / white painting
lamping LED 2x1W / Ra>80 / 140LM
Beam 8 degree /
2700K/3000K/4000K/6000K
installation    IP20

surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037




code **GD-LWA276-SL**
 casing Aluminium / anodized silver
 lamping LED 3W / Ra>80 / 120LM
 Beam 8 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **GD-LWA277-SL**
 casing Aluminium / anodized silver
 lamping LED 2x3W / Ra>80 / 240LM
 Beam 8 degree up / 8 degree down
 2700K/3000K/4000K/6000K
 installation IP20



surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **GD-LWA276-BK**
 casing Aluminium / anodized black
 lamping LED 3W / Ra>80 / 120LM
 Beam 8 degree /
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  white paint similar to RAL9003
 concrete grey paint similar to RAL7037






code **GD-LWA277-BK**
 casing Aluminium / anodized black
 lamping LED 2x3W / Ra>80 / 240LM
 Beam 8 degree up / 8 degree down
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  white paint similar to RAL9003
 concrete grey paint similar to RAL7037





code **GD-LWA278-SL**
 casing Aluminium / anodized silver
 lighting up LED 3W / Ra>80 / 120LM
 down cob 6W / Ra>90 / 440lm
 Beam 8 degree up/38 degree down
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable
 black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037

code **GD-LWA278-BK**
 casing Aluminium / anodized black









code **GD-LWA027**
 casing Aluminium / anodized silver
 lamping LED 2x1W / Ra>80 / 140LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 / red / green /blue
 installation IP20

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **GD-LWA028**
 casing Aluminium / anodized silver
 lamping LED 3x1W / Ra>80 / 210LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 / red / green /blue
 installation IP20

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037





code **GD-LWA029**
 casing Aluminium / anodized silver
 lamping LED 4x1W / Ra>80 / 280LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 / red / green /blue
 installation IP20

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **GD-HL025/1**
 casing aluminum / anodized silver
 lamping LED 1W / Ra>80 / 70LM
 Beam 10 degree /
 2700K/3000K/4000K/6000K
 red / green /blue
 installation IP20

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037






code **GD-HL025/2**

casing aluminum / anodized silver

lampping LED 2x1W / Ra>80 / 140LM

Beam 10 degree /
2700K/3000K/4000K/6000K
red / green /blue

installation     IP20

surface customizable  black paint
equal to RAL9011
 white paint
similar to RAL9003
 concrete grey paint
similar to RAL7037



code **GD-LWA071**

casing aluminum / anodized silver

lampping LED 1W / Ra>80 /70LM


Beam 30 degree /


2700K/3000K/4000K/6000K


red / green /blue


installation     IP20

surface customizable

 black paint equal to RAL9011

 white paint similar to RAL9003

 concrete grey paint similar to RAL7037



code **GD-LWA072**

casing aluminum / anodized silver

lampping LED 2X1W / Ra>80 /140LM


Beam 30 degree /


2700K/3000K/4000K/6000K


red / green /blue


installation     IP20

surface customizable

 black paint equal to RAL9011

 white paint similar to RAL9003

 concrete grey paint similar to RAL7037



code **GD-LWA073**

casing aluminum / anodized silver

lampping LED 3X1W / Ra>80 /210LM


Beam 30 degree /


2700K/3000K/4000K/6000K


red / green /blue


installation     IP20



surface customizable

 black paint equal to RAL9011

 white paint similar to RAL9003


 concrete grey paint similar to RAL7037






code **GD-LWA300A-WT**
 casing aluminum / white paint
 lamping LED 3W / Ra>80 / 300LM
 Beam 8 degree /
 2700K/3000K/4000K/6000K
 installation     IP65

surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037





code **GD-LWA300B-WT**
 casing aluminum / white paint
 lamping LED 6W / Ra>80 / 600LM
 Beam 8 degree /
 2700K/3000K/4000K/6000K
 installation     IP65


surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037



code **GD-LWA300C-WT**
casing aluminum / white paint
lamping LED 12W / Ra>80 / 1200LM
Beam 8 degree /
2700K/3000K/4000K/6000K
installation     IP65


surface customizable  black paint
equal to RAL9011
 concrete grey paint
similar to RAL7037







code **GD-LWA300D-WT**
 casing aluminum / white paint
 lamping LED 6W / Ra>90 / 500LM
 Beam 80 degree /
 2700K/3000K/4000K/6000K
 installation IP65

surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037




code **GD-LWA300E-WT**
 casing aluminum / white paint
 lamping LED 6W / Ra>90 / 500LM
 Beam 90 degree /
 2700K/3000K/4000K/6000K
 installation IP65

surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037



code **GD-LWA300G-WT**
 casing aluminum / white paint
 lamping LED 6W / Ra>90 /500LM
 Beam decorative/
 2700K/3000K/4000K/6000K
 installation IP65

surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037




code **GD-LWA300F-WT**
 casing aluminum / white paint
 lamping LED 6W / Ra>90 /500LM
 Beam 60 degree /
 2700K/3000K/4000K/6000K
 installation IP65


surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037




code **GD-LWA300H-WT**
 casing aluminum / white paint
 lamping LED 6W / Ra>90 / 500LM
 Beam 60 degree up / 8 degree down
 2700K/3000K/4000K/6000K
 installation     IP65

surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037



code **GD-LWA300J-WT**
 casing aluminum / white paint
 lamping LED 6W / Ra>90 / 500LM
 Beam 80 degree up / 8 degree down
 2700K/3000K/4000K/6000K
 installation     IP65


surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037















**DC12V
INPUT
LED MINI
DECORATIVE
LIGHT SERIES**




code **GD-LWA324-BK**
 casing aluminum / black painting
 lamping LED 1W / Ra>80 /70LM
 Beam 30 degree / 2700K/3000K /4000K/6000K
 lamp input DC 12V/Parallel connection
 max 300pcs
 installation surface mount
 ■ ■ ◆ CE ▼ IP20





code **GD-LWA324-WT**
 casing aluminum / white painting
 lamping LED 1W / Ra>80 /70LM
 Beam 30 degree / 2700K/3000K /4000K/6000K
 lamp input DC 12V/Parallel connection
 max 300pcs
 installation surface mount
 ■ ■ ◆ CE ▼ IP20





code **GD-LWA324-SL**
 casing aluminum / anodized silver
 lamping LED 1W / Ra>80 /70LM
 Beam 30 degree / 2700K/3000K /4000K/6000K
 lamp input DC 12V/Parallel connection
 max 300pcs
 installation surface mount
 ■ ■ ◆ CE ▼ IP20




code **GD-LWA324-GR**
 casing aluminum / grey painting
 lamping LED 1W / Ra>80 /70LM
 Beam 30 degree / 2700K/3000K /4000K/6000K
 lamp input DC 12V/Parallel connection
 max 300pcs
 installation surface mount
 ■ ■ ◆ CE ▼ IP20





code **GD-LWA325-BK**
 casing aluminum / black painting
 lamping LED 1W / Ra>80 /70LM
 Beam 30 degree / 2700K/3000K /4000K/6000K
 lamp input DC 12V/Parallel connection
 max 300pcs
 installation surface mount
 ■ ■ ◆ CE ▽ IP20




code **GD-LWA325-WT**
 casing aluminum / white painting
 lamping LED 1W / Ra>80 /70LM
 Beam 30 degree / 2700K/3000K /4000K/6000K
 lamp input DC 12V/Parallel connection
 max 300pcs
 installation surface mount
 ■ ■ ◆ CE ▽ IP20




code **GD-LWA325-SL**
 casing aluminum / anodized silver
 lamping LED 1W / Ra>80 /70LM
 Beam 30 degree / 2700K/3000K /4000K/6000K
 lamp input DC 12V/Parallel connection
 max 300pcs
 installation surface mount
 ■ ■ ◆ CE ▽ IP20




code **GD-LWA325-GR**
 casing aluminum / grey painting
 lamping LED 1W / Ra>80 /70LM
 Beam 30 degree / 2700K/3000K /4000K/6000K
 lamp input DC 12V/Parallel connection
 max 300pcs
 installation surface mount
 ■ ■ ◆ CE ▽ IP20




code **GD-LWA326-BK**
 casing aluminum / black painting
 lamping LED 1W / Ra>80 /70LM
 Beam 30 degree / 2700K/3000K /4000K/6000K
 lamp input DC 12V/Parallel connection
 max 300pcs
 installation surface mount
 ■ ■ ◆ CE ▽ IP20





code **GD-LWA326-WT**
 casing aluminum / white painting
 lamping LED 1W / Ra>80 /70LM
 Beam 30 degree / 2700K/3000K /4000K/6000K
 lamp input DC 12V/Parallel connection
 max 300pcs
 installation surface mount
 ■ ■ ◆ CE ▽ IP20




code **GD-LWA326-SL**
 casing aluminum / anodized silver
 lamping LED 1W / Ra>80 /70LM
 Beam 30 degree / 2700K/3000K /4000K/6000K
 lamp input DC 12V/Parallel connection
 max 300pcs
 installation surface mount
 ■ ■ ◆ CE ▽ IP20




code **GD-LWA326-GR**
 casing aluminum / grey painting
 lamping LED 1W / Ra>80 /70LM
 Beam 30 degree / 2700K/3000K /4000K/6000K
 lamp input DC 12V/Parallel connection
 max 300pcs
 installation surface mount
 ■ ■ ◆ CE ▽ IP20




code **GD-LWA328-BK**
 casing aluminum / black painting
 lamping LED 2W / Ra>80 /140LM
 Beam 30 degree / 2700K/3000K /4000K/6000K
 lamp input DC 12V/Parallel connection
 max 150pcs
 installation surface mount
 ■ ■ ◆ CE ▽ IP20



code **GD-LWA328-WT**
 casing aluminum / white painting
 lamping LED 2W / Ra>80 /140LM
 Beam 30 degree / 2700K/3000K /4000K/6000K
 lamp input DC 12V/Parallel connection
 max 150pcs
 installation surface mount
 ■ ■ ◆ CE ▽ IP20




code **GD-LWA328-SL**
 casing aluminum / anodized silver
 lamping LED 2W / Ra>80 /140LM
 Beam 30 degree / 2700K/3000K /4000K/6000K
 lamp input DC 12V/Parallel connection
 max 150pcs
 installation surface mount
 ■ ■ ◆ CE ▽ IP20




code **GD-LWA328-GR**
 casing aluminum / grey painting
 lamping LED 2W / Ra>80 /140LM
 Beam 30 degree / 2700K/3000K /4000K/6000K
 lamp input DC 12V/Parallel connection
 max 150pcs
 installation surface mount
 ■ ■ ◆ CE ▽ IP20



DC 12V SERIES INSTALLATION



Lamp in a parallel circuit




LED
WALL
LIGHTS
SURFACE
MOUNT




code **GD-LWA183**
 casing aluminum / anodized silver
 lamping LED 2W / Ra>80 /140LM
 Beam no lense /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037







code **GD-LWA182**
 casing aluminum / anodized silver
 lamping LED 1W / Ra>80 /70LM
 Beam no lense /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037






code **GD-LWA184**
 casing aluminum / anodized silver
 lamping COB 5W / Ra>90 / 430LM
 Beam no reflector /
 2700K/3000K/4000K/6000K
 installation     IP20


surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **GD-LWA185**
 casing aluminum / anodized silver
 lamping COB 10W / Ra>90 / 860LM
 Beam no reflector /
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037






code **GD-LWA103**

casing aluminum / anodized silver
 lamping LED 4W / Ra>80 /280LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20


surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **GD-LWA101**

casing aluminum / anodized silver
 lamping LED 2W / Ra>80 /140LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **GD-LWA105**




casing aluminum / anodized silver
 lamping LED 6W / Ra>80 /420LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20


surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037









code **GD-LWA165**
 casing aluminum / anodized silver
 lamping LED 6W / Ra>80 /240LM
 Beam no lense /
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **GD-LWA164**
 casing aluminum / anodized silver
 lamping LED 3W / Ra>80 /120LM
 Beam no lense /
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037









code **GD-LWA270-SL**
 casing aluminum / anodized silver
 lamping COB 5W / Ra>90 /430LM
 Beam no lense / acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20




surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037







code **GD-LWA269-SL**
 casing aluminum / anodized silver
 lamping COB 5W / Ra>90 /430LM
 Beam no lense / acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20





surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037






code **GD-LWA117**
 casing aluminum / anodized silver
 lamping cob 2x5W / Ra>90 / 860LM
 Beam 38 degree /
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037





code **GD-LWA119**
 casing aluminum / anodized silver
 lamping cob 2x12W / Ra>90 / 1800LM
 Beam 38 degree /
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037








code **GD-LWA116**
 casing aluminum / anodized silver
 lamping cob 2x5W / Ra>90 / 860LM
 Beam 38 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **GD-LWA118**
 casing aluminum / anodized silver
 lamping cob 2x12W / Ra>90 / 1800LM
 Beam 38 degree /
 2700K/3000K/4000K/6000K
 installation IP20


surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **GD-LWA264**
 casing aluminum / white paint
 lamping cob 5W / Ra>90 / 430LM
 Beam 23 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011


concrete grey paint similar to RAL7037



code **GD-LWA265**
 casing aluminum / white paint
 lamping cob 2x6W / Ra>90 / 1000LM
 Beam 23 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011


concrete grey paint similar to RAL7037



code **GD-LWA266**
 casing aluminum / white paint
 lamping cob 4x6W / Ra>90 / 2000LM
 Beam 23 degree /
 2700K/3000K/4000K/6000K
 installation IP20



surface customizable black paint equal to RAL9011

concrete grey paint similar to RAL7037














code **GD-LWA267**
 casing aluminum / white paint
 lamping cob 12W / Ra>90 / 900LM
 Beam 23 degree /
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037






code **GD-LWA268**
 casing aluminum / white paint
 lamping cob 2x12W / Ra>90 / 1800LM
 Beam 23 degree /
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037










code **GD-DS031-BK**
 casing aluminum / black painting
 lamping Gu10 socket supplied with
 a 5W LED bulb/ Ra>80 /430LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20





surface
 customizable
 concrete grey paint
 similar to RAL7037
 anodized gold
 brushed circular





code **GD-DS032-BK**
 casing aluminum / black painting
 lamping 2xGu10 socket supplied with
 2x 5W LED bulbs/ Ra>80 /860LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20


surface
 customizable
 concrete grey paint
 similar to RAL7037
 anodized gold
 brushed circular



code **GD-DS032-WT**
 casing aluminum / white painting
 lamping 2xGu10 socket supplied with
 2x 5W LED bulbs/ Ra>80 /860LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation     IP20



surface
 customizable


-  concrete grey paint
similar to RAL7037
-  anodized gold
brushed circular







code **GD-DS031-WT**
 casing aluminum / white painting
 lamping Gu10 socket supplied with
 a 5W LED bulb/ Ra>80 /430LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation     IP20



surface
 customizable


-  concrete grey paint
similar to RAL7037
-  anodized gold
brushed circular







code **GD-DS031-SL**
 casing aluminum / anodized silver
 lamping Gu10 socket supplied with
 a 5W LED bulb/ Ra>80 /430LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation     IP20



surface
 customizable


-  concrete grey paint
similar to RAL7037
-  anodized gold
brushed circular



code **GD-DS032-SL**
 casing aluminum / anodized silver
 lamping 2xGu10 socket supplied with
 2x 5W LED bulbs/ Ra>80 /860LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation     IP20





surface
 customizable


-  concrete grey paint
similar to RAL7037
-  anodized gold
brushed circular



code [GD-LWA387-BK](#) / [GD-LWA387-WT](#)





casing aluminum / black painting / white painting / lamping Gu10 socket Max 50w / surface mount

installation     IP20 / bulb not included / Gu10 5W LED Bulb recommended







code [GD-LWA387-SL](#) / [GD-LWA387-GD](#)





casing aluminum / anodized silver / anodized gold / lamping Gu10 socket Max 50w / surface mount

installation     IP20 / bulb not included / Gu10 5W LED Bulb recommended











code **GD-LWA388-BK**
casing aluminum / black painting
lamping 2xGu10 socket / bulb not included
Gu10 5W LED Bulb recommended
installation     IP20




code **GD-LWA388-GD**
casing aluminum / anodized gold
lamping 2xGu10 socket / bulb not included
Gu10 5W LED Bulb recommended
installation     IP20





code **GD-LWA388-WT**
casing aluminum / white painting
lamping 2xGu10 socket / bulb not included
Gu10 5W LED Bulb recommended
installation     IP20

code **GD-LWA388-SL**
casing aluminum / anodized silver
lamping 2xGu10 socket / bulb not included
Gu10 5W LED Bulb recommended
installation     IP20








code **GD-LWA115**
 casing aluminum / white paint
 lamping LED 8W / Ra>80 / 800LM
 Beam indirect light
 2700K/3000K/4000K/6000K
 installation     IP20


surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037





code **GD-HL8072/1**
 casing aluminum / anodized silver
 lamping cob 5W / Ra>90 / 430LM
 Beam white glass shade /
 2700K/3000K/4000K/6000K
 installation     IP20




surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037
















code **GD-LWA223**
 casing aluminum / chrome plated
 lamping led 6W / Ra>80 / 600LM
 Beam light inside the ring /
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **GD-LWA222**
 casing aluminum / chrome plated
 lamping led 6W / Ra>80 / 600LM
 Beam light inside the ring /
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037









code **GD-LWA395**

casing steel + aluminum


finishing black painting +anodized gold


lampping SMD 2W / Ra>80 /200LM

Beam 2700K/3000K/4000K/6000K

installation     IP20

surface customizable  white paint similar to RAL9003

 black paint equal to RAL9011



code **GD-LWA394**

casing steel + aluminum


finishing black painting +anodized gold

lampping SMD 2W / Ra>80 /200LM



Beam 2700K/3000K/4000K/6000K

installation     IP20

surface customizable  white paint similar to RAL9003


 black paint equal to RAL9011






code **GD-LWA149-WT**
 casing aluminum / white paint
 lamping LED 8W / Ra>80 / 800LM
 Beam indirect light
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037
 anodized silver brushed linear



code **GD-LWA150-WT**
 casing aluminum / white paint
 lamping LED 12W / Ra>80 / 1200LM
 Beam indirect light
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037
 anodized silver brushed linear




code **GD-LWA151-WT**
 casing aluminum / white paint
 lamping LED 20W / Ra>80 / 1600LM
 Beam indirect light
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037
 anodized silver brushed linear




code **GD-LWA228A-BK**
casing Steel cover / black paint
lamping LED 4W / Ra>80 /400LM
Beam acrylic diffuser
2700K/3000K/4000K/6000K
installation IP20


cover customizable aluminum cover in any color
consult with our sale manager stainless steel nickle/gold cover
other material other color



code **GD-LWA228A-WT**
casing Steel cover / white paint
lamping LED 4W / Ra>80 /400LM
Beam acrylic diffuser
2700K/3000K/4000K/6000K
installation IP20

cover customizable aluminum cover in any color
consult with our sale manager stainless steel nickle/gold cover
other material other color





GD-LWA228B



GD-LWA228C



GD-LWA228D



GD-LWA228E

code **GD-LWA228B/C/D/E**

casing nickle stainless steel cover

lampping LED 4W / Ra>80 /400LM


Beam acrylic diffuser
2700K/3000K/4000K/6000K

installation IP20

cover customizable consult with our sale manager

cover material customizable aluminum cover in any color
 stainless steel nickle/gold cover

cover can be laser cut with any number or any character










LUNAR ECLIPSE

The idea of this series comes from the eclipse. The pure soft warm light comes out from the back of shiny chrome plated hemisphere, just like the lunar eclipse in the vast sky. The interesting is that we didn't make it a flat circle but a pure sphere, with half chrome plated steel hemisphere, and another half acrylic hemisphere as lighting diffuser. Of course there is a little aluminium part as the installation base, which you would not see when the whole lamp is installed.





The clever part of this design is that we put the power supply and the led chips and also the heat sink in the plated hemisphere, so that the light can disperse as much as it can to the wall and as soft as it can be.




This series are very good decoration to the wall, no matter they are lighted on or off. The sphere is solid and it is objective and beautiful no matter from which angle you have seen it. You can put two or three sizes in the same wall, and a group of three or five lamps can give the wall amazing effects.


code **GD-LWA282**
 casing Steel / chrome plated
 lamping LED 4W / Ra>80 /400LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation     IP20





surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037
 white paint similar to RAL9003






code **GD-LWA283**
 casing Steel / chrome plated
 lamping LED 4W / Ra>80 /400LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037
 white paint similar to RAL9003




code **GD-LWA284**
 casing Steel / chrome plated
 lamping LED 6W / Ra>80 /600LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037
 white paint similar to RAL9003








code **GD-LWA243**
 casing aluminum / anodized black
 lamping LED 10W / Ra>80 / 1000LM
 Beam indirect light
 2700K/3000K/4000K/6000K
 installation

- surface customizable
- white paint similar to RAL9003
 - concrete grey paint similar to RAL7037
 - anodized silver brushed linear





code **GD-LWA244**

casing aluminum / anodized black


lamping LED 10W / Ra>80 / 1000LM


Beam indirect light

2700K/3000K/4000K/6000K

installation     IP20  90°

surface customizable  white paint similar to RAL9003

 concrete grey paint similar to RAL7037

 anodized silver brushed linear



2021 NEW
DECORATIVE
WALL
LIGHTS

MINIMALIST
STYLE

METALLIC
TEXTURE

SUPER
SLIM
AND
PURENESS








SUPER SLIM
BRUSHED
AND
ANODIZED
BLACK BASE








SUPER THIN
GOLD
BRUSHED
ROD










code **GD-LWA389**
casing aluminum / anodized black + gold
lamping LED 6W / Ra>80 /600LM
Beam indirect light
2700K/3000K/4000K/6000K
installation     IP20



code **GD-LWA390**
casing aluminum / anodized black + gold
lamping LED 10W / Ra>80 / 1000LM
Beam indirect light
2700K/3000K/4000K/6000K
installation     IP20



code **GD-LWA392**
casing aluminum / anodized black + gold
lamping LED 12W / Ra>80 / 1200LM
Beam indirect light
2700K/3000K/4000K/6000K
installation     IP20



code **GD-LWA391**

casing aluminum / anodized black + gold


lamping LED 8W / Ra>80 / 800LM





Beam indirect light

2700K/3000K/4000K/6000K

installation     IP20






code **GD-LWA393**
casing aluminum / anodized black + gold
lamping LED 20W / Ra>80 / 2000LM
Beam indirect light
2700K/3000K/4000K/6000K
installation     IP20




code **GD-LWA302**
 casing aluminum / chrome plated
 lamping LED 3W / Ra>80 /300LM
 Beam indirect light / acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **GD-LWA303**
 casing aluminum / chrome plated
 lamping LED 4W / Ra>80 /400LM
 Beam indirect light / acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037









code **GD-LWA304**
 casing aluminum / chrome plated
 lamping LED 6W / Ra>80 /600LM
 Beam indirect light / acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20


surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037














code **GD-LWA295A-WT**
GD-LWA295A-BK
 casing aluminum / steel cover /
 white paint / black paint
 lamping LED 3W / Ra>80 /300LM
 Beam indirect light / acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20



code **GD-LWA296A-WT**
GD-LWA296A-BK
 casing aluminum / steel cover /
 white paint / black paint
 lamping LED 6W / Ra>80 /600LM
 Beam indirect light / acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20



code **GD-LWA294A-WT**
GD-LWA294A-BK
 casing aluminum / steel cover /
 white paint / black paint
 lamping LED 9W / Ra>80 /900LM
 Beam indirect light / acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20




code **GD-LWA295B**
 casing aluminum base/white paint
 stainless steel cover / nickle
 lamping LED 3W / Ra>80 /300LM
 Beam indirect light / acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable material steel

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

cover customized to be any drawing




code **GD-LWA295C**
 casing aluminum base/white paint
 stainless steel cover / nickle
 lamping LED 3W / Ra>80 /300LM
 Beam indirect light / acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable material steel

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

cover customized to be any drawing




code **GD-LWA296B**
 casing aluminum base/white paint
 stainless steel cover / nickle
 lamping LED 6W / Ra>80 /600LM
 Beam indirect light / acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable material steel

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

cover customized to be any drawing




code **GD-LWA294C**
 casing aluminum base/white paint
 stainless steel cover / nickle
 lamping LED 9W / Ra>80 /900LM
 Beam indirect light / acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable material steel

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

cover customized to be any drawing




code **GD-LWA294B**
 casing aluminum base/white paint
 stainless steel cover / nickle
 lamping LED 9W / Ra>80 /900LM
 Beam indirect light / acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable material steel

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

cover customized to be any drawing






**NEW
WALL
SERIES
LIGHT
IN
THE BOOK**













**installation
in different
directions**






code **GD-LWA377**
 casing steel / white painting
 lamping COB 5W / Ra>90 /430LM
 Beam 20 degree
 2700K/3000K/4000K/6000K
 installation     IP20



code **GD-LWA378**
 casing steel / white painting
 lamping COB 5W / Ra>90 /430LM
 Beam 20 degree
 2700K/3000K/4000K/6000K
 installation     IP20








code **GD-LWA318-WT**
 casing steel sheet / white paint / aluminum heat sink
 lamping LED 18W / Ra>80 / 1800LM
 Beam indirect light / 2700K/3000K/4000K/6000K
 installation     IP20

code **GD-LWA318-GR**
 casing steel sheet / grey paint

Related product type
 ceiling surface mount / pendant



The image features four abstract, 3D-rendered geometric shapes in the corners, composed of white and light gray faceted planes. These shapes are arranged in a way that they appear to be floating or attached to the corners of a white background. The top-left shape is a cluster of interconnected planes. The top-right shape is a single, larger, more complex form. The bottom-left shape is a cluster of several interconnected planes. The bottom-right shape is a single, smaller, more complex form.

FASCINATING LIGHTING FORMULAR SERIES






Light formula is a idea from STRUCTURAL FORMULA. Structural formula is a fascinating scientific creature. It can change into different shape according to differet molecular or material,like coral or ice crystal growing optionally into different beautiful shape. We would like to imitate by light this type of fatasy shape to present the beauty of uncertainty. We use a casting aluminium hexagon and built-in LEGD-DS to be the basic unit of the formula.And from one unit to Twlve,we creat as many as 16 assembles ,which we call it LIGHT FORMULAS.

Light Formula series has got 16 basic models,which have got basic unit from 1 to 12,of which is 3 Watt. If users find them not bright enough, we can also double the unit into 6 watt. We simulat the formula in the computer,and print them by 3D printer,to find out the best size of the basic unit and the best combination of the basic units.To be honest, those 16 models are the best choice from the other dozens of failed combinations.







More important and exciting is that customers can order formula by their own thought of numbers of unit and arrays of the units, to create their own unique LIGHT FORMULAS. Light formulas are very good for the lighting and decoration for the large size of blank wall or ceiling.Indirect light and unique array of hexagon make good ligthing effect and decoration for the modern interior design.


Except for the wall lighting,models of over six units of light formula series are also good for ceiling lighting of living room or sleeping room . The formula makes the lighting more hierarchical.

Light Formula series also have got GREY painting version,which is good for LOFT style or industrial style.




**Choose
your
favorite
formulas**









**Or
create
your own**










code **GD-LWA353-WT**
casing cast aluminum / white painting
lamping LED 3x3W / Ra>80 /900LM
Beam Indirect light/
2700K/3000K/4000K/6000K
installation      IP20






surface
customizable
 concrete grey paint
similar to RAL7037
 black paint
equal to RAL9011







code **GD-LWA353A-WT**
casing cast aluminum / white painting
lamping LED 3x3W / Ra>80 /900LM
Beam Indirect light/
2700K/3000K/4000K/6000K
installation      IP20

surface
customizable
 concrete grey paint
similar to RAL7037
 black paint
equal to RAL9011






code **GD-LWA352-WT**
 casing cast aluminum / white painting
 lamping LED 2x3W / Ra>80 /600LM
 Beam Indirect light/
 2700K/3000K/4000K/6000K
 installation      IP20

surface customizable
 concrete grey paint similar to RAL7037
 black paint equal to RAL9011






code **GD-LWA351-WT**
 casing cast aluminum / white painting
 lamping LED 1x3W / Ra>80 /300LM
 Beam Indirect light/
 2700K/3000K/4000K/6000K
 installation      IP20

surface customizable
 concrete grey paint similar to RAL7037
 black paint equal to RAL9011






code **GD-LWA354-WT**
 casing cast aluminum / white painting
 lamping LED 4x3W / Ra>80 / 1200LM
 Beam Indirect light/
 2700K/3000K/4000K/6000K
 installation      IP20

surface customizable
 concrete grey paint similar to RAL7037
 black paint equal to RAL9011




code **GD-LWA355-WT**
 casing cast aluminum / white painting
 lamping LED 5x3W / Ra>80 / 1500LM
 Beam Indirect light/
 2700K/3000K/4000K/6000K
 installation      IP20


surface customizable
 concrete grey paint similar to RAL7037
 black paint equal to RAL9011






code **GD-LWA357-WT**
 casing cast aluminum / white painting
 lamping LED 7x3W / Ra>80 /2100LM
 Beam Indirect light/
 2700K/3000K/4000K/6000K
 installation      IP20
 surface customizable
 concrete grey paint similar to RAL7037
 black paint equal to RAL9011









code **GD-LWA356-WT**
 casing cast aluminum / white painting
 lamping LED 6x3W / Ra>80 /1800LM
 Beam Indirect light/
 2700K/3000K/4000K/6000K
 installation      IP20
 surface customizable
 concrete grey paint similar to RAL7037
 black paint equal to RAL9011






code **GD-LWA357A-WT**
 casing cast aluminum / white painting
 lamping LED 7x3W / Ra>80 / 2100LM
 Beam Indirect light/
 2700K/3000K/4000K/6000K
 installation      IP20

surface customizable
 concrete grey paint similar to RAL7037
 black paint equal to RAL9011






code **GD-LWA359-WT**
 casing cast aluminum / white painting
 lamping LED 9x3W / Ra>80 / 2700LM
 Beam Indirect light/
 2700K/3000K/4000K/6000K
 installation      IP20

surface customizable
 concrete grey paint similar to RAL7037
 black paint equal to RAL9011





code **GD-LWA359B-WT**
 casing cast aluminum / white painting
 lamping LED 9x3W / Ra>80 / 2700LM
 Beam Indirect light/
 2700K/3000K/4000K/6000K
 installation      IP20

surface
 customizable
 concrete grey paint
 similar to RAL7037
 black paint
 equal to RAL9011




code **GD-LWA362-WT**
 casing cast aluminum / white painting
 lamping LED 12x3W / Ra>80 / 3600LM
 Beam Indirect light/
 2700K/3000K/4000K/6000K
 installation      IP20

surface
 customizable
 concrete grey paint
 similar to RAL7037
 black paint
 equal to RAL9011







D016




code **GD-LWA356A-WT**
 casing cast aluminum / white painting
 lamping LED 6x3W / Ra>80 /1800LM
 Beam Indirect light/
 2700K/3000K/4000K/6000K
 installation      IP20
 surface customizable
 concrete grey paint similar to RAL7037
 black paint equal to RAL9011



code **GD-LWA355A-WT**
 casing cast aluminum / white painting
 lamping LED 5x3W / Ra>80 /1500LM
 Beam Indirect light/
 2700K/3000K/4000K/6000K
 installation      IP20
 surface customizable
 concrete grey paint similar to RAL7037
 black paint equal to RAL9011



code **GD-LWA359A-WT**
casing cast aluminum / white painting
lamping LED 9x3W / Ra>80 /2700LM
Beam Indirect light/
2700K/3000K/4000K/6000K
installation IP20
surface
customizable
 concrete grey paint
similar to RAL7037
 black paint
equal to RAL9011



code **GD-LWA362A-WT**

casing cast aluminum / white painting

lampping LED 12x3W / Ra>80 /3600LM


Beam Indirect light/


2700K/3000K/4000K/6000K

installation      IP20

surface

customizable

 concrete grey paint
similar to RAL7037

 black paint
equal to RAL9011





GD-LWA359-WT
ceiling version

GD-LWA357-WT
ceiling version







GD-LWA362-WT
ceiling version




GD-LWA359B-WT
ceiling version



LED READING LIGHTS

**FOR
BEDROOM**





GD-LWA219-BK



GD-LWA219-WT



GD-LWA219-SL



GD-LWA219-CR



GD-LWA219-RG



GD-LWA220-BK




GD-LWA220-WT




GD-LWA220-SL



GD-LWA220-CR



code **GD-LWA219-WT**
 casing aluminum / white paint
 lamping LED 3W / Ra>80 /120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20



code **GD-LWA220-WT**
 casing aluminum / white paint
 lamping LED 3W / Ra>80 /120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20



cut-off dia80mm
 by 60mm depth hole for
 installation box and driver



cut-off dia80mm
 by 60mm depth hole for
 installation box and driver

supplied with installation box and driver

supplied with installation box and driver



with built-in switch, when head pressed
 in ,the light switched off



with built-in switch, when head pressed
 in ,the light switched off

the head can be rotated 350 degree
 left and right, 90 degree up and down

the head can be rotated 350 degree
 left and right, 90 degree up and down



code **GD-LWA219-BK**
 casing aluminum / black paint



code **GD-LWA220-BK**
 casing aluminum / black paint



code **GD-LWA219-CR**
 casing aluminum / chrome plated



code **GD-LWA220-CR**
 casing aluminum / chrome plated



code **GD-LWA219-SL**
 casing aluminum / anodized silver









code **GD-LWA220-SL**
 casing aluminum / anodized silver




code **GD-LWA219-RG**
 casing aluminum / anodized rose gold

code **GD-LWA220-RD**
 casing aluminum / anodized rose gold

HOW IT WORKS







GD-LWA319-WT



GD-LWA320-WT



GD-LWA319-BK



GD-LWA320-BK



GD-LWA319-SL




GD-LWA320-SL



GD-LWA319-CR



GD-LWA320-CR



SMALLER VERSION FOR GD-LWA219 SERIES



code **GD-LWA319-WT**
 casing aluminum / white paint
 lamping LED 1W / Ra>80 /70LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K



installation **IP20**



cut-off dia55mm
 by 60mm depth hole for
 installation box and driver



supplied with installation box and driver

with built-in switch, when head pressed
 in ,the light switched off

the head can be rotated 350 degree
 left and right, 90 degree up and down

code **GD-LWA319-BK**

casing aluminum / black paint

code **GD-LWA319-CR**


casing aluminum / chrome plated

code **GD-LWA319-SL**

casing aluminum / anodized silver

code **GD-LWA319-RG**

casing aluminum / anodized rose gold



SMALLER VERSION FOR GD-LWA220 SERIES



code **GD-LWA320-WT**
 casing aluminum / white paint
 lamping LED 1W / Ra>80 /70LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K



installation **IP20**



cut-off dia55mm
 by 60mm depth hole for
 installation box and driver



supplied with installation box and driver

with built-in switch, when head pressed
 in ,the light switched off

the head can be rotated 350 degree
 left and right, 90 degree up and down

code **GD-LWA320-BK**

casing aluminum / black paint

code **GD-LWA320-CR**

casing aluminum / chrome plated


code **GD-LWA320-SL**

casing aluminum / anodized silver


code **GD-LWA320-RG**

casing aluminum / anodized rose gold


HOW IT WORKS




STEP1
 Cut hole
 pattern
 on the wall




STEP2
 Put the
 driver
 and
 connect
 the main




STEP3
 Connect
 the lamp
 to the
 driver



STEP6
 Turn on
 the main
 and press
 to light
 it on



STEP5
 Fix the
 cover
 to the
 installed
 lamp






STEP4
 Fix the
 lamp
 with
 screws





code **GD-LWA260-BK**
 casing aluminum / black paint
 lamping LED 3W / Ra>80 /120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation     IP20

supplied with installation box and driver
 with touching sensor switch

the head can be rotated 350 degree
 left and right, 90 degree up and down

surface customizable  anodized silver brushed circular
 anodized gold brushed circular
 concrete grey paint similar to RAL7037



 cut-off dia80mm
 by 60mm depth hole for
 installation box and driver




if there is no enough space
 for the box, we can supply
 an aluminum ring for insta-
 llatoin.





code **GD-LWA260-WT**
 casing aluminum / white paint
 lamping LED 3W / Ra>80 /120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation     IP20

supplied with installation box and driver
 with touching sensor switch

the head can be rotated 350 degree
 left and right, 90 degree up and down





surface customizable  anodized silver brushed circular
 anodized gold brushed circular
 concrete grey paint similar to RAL7037



 cut-off dia80mm
 by 60mm depth hole for
 installation box and driver




if there is no enough space
 for the box, we can supply
 an aluminum ring for insta-
 llatoin.




code **GD-LWA260-CR**
 casing aluminum / Chrome plated
 lamping LED 3W / Ra>80 /120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation     IP20

supplied with installation box and driver
 with touching sensor switch


the head can be rotated 350 degree
 left and right, 90 degree up and down

surface customizable  anodized silver brushed circular
 anodized gold brushed circular
 concrete grey paint similar to RAL7037



 cut-off dia80mm
 by 60mm depth hole for
 installation box and driver

if there is no enough space
 for the box, we can supply
 an aluminum ring for insta-
 llatoin.



cut-off dia80mm
by 60mm depth hole for
installation box and driver

if there is no enough space
for the box, we can supply
an aluminum ring for insta-
llatoin.

code **GD-LWA259-BK**

casing aluminum / black paint

lamping LED 3W / Ra>80 /120LM

Beam 30 degree /
2700K/3000K/4000K/6000K


installation IP20

supplied with installation box and driver

with touching sensor switch

the head can be rotated 350 degree
left and right, 90 degree up and down

surface customizable anodized silver
brushed circular
 anodized gold
brushed circular
 concrete grey paint
similar to RAL7037



cut-off dia80mm
by 60mm depth hole for
installation box and driver

if there is no enough space
for the box, we can supply
an aluminum ring for insta-
llatoin.

code **GD-LWA259-WT**

casing aluminum / white paint

lamping LED 3W / Ra>80 /120LM

Beam 30 degree /
2700K/3000K/4000K/6000K


installation IP20

supplied with installation box and driver

with touching sensor switch

the head can be rotated 350 degree
left and right, 90 degree up and down

surface customizable anodized silver
brushed circular
 anodized gold
brushed circular
 concrete grey paint
similar to RAL7037



cut-off dia80mm
by 60mm depth hole for
installation box and driver

if there is no enough space
for the box, we can supply
an aluminum ring for insta-
llatoin.

code **GD-LWA259-CR**

casing aluminum / Chrome plated

lamping LED 3W / Ra>80 /120LM

Beam 30 degree /
2700K/3000K/4000K/6000K

installation IP20

supplied with installation box and driver

with touching sensor switch

the head can be rotated 350 degree
left and right, 90 degree up and down

surface customizable anodized silver
brushed circular
 anodized gold
brushed circular
 concrete grey paint
similar to RAL7037



THE BEST READING LAMP EVER DESIGN
 360 DEGREE FREE TURNING
 DEEP RECESSED LIGHT
 FOR ANTI-GLARE PURPOSE
 TURNING BACK AND SWITCHED OFF
 SMART AND EASY INSTALLATION
 BY SCREWING IN ONE NUT
 CHROME /GOLD PLATED
 BLACK / WHITE PAINTING
 FOUR FINISHINGS AVAILABLE
 SMALL/BIG TWO SIZES OPTIONAL



code **GD-LWA322-CR**
 casing aluminum / chrome plated
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K

installation IP20

cut-off 150x45mm
 by 105mm depth hole for
 installation box and driver

supplied with installation box and driver

with built-in switch, when head pressed
 in ,the light switched off


the head can be rotated 350 degree
 left and right, 90 degree up and down

code **GD-LWA322-BK**
 casing aluminum / black paint

code **GD-LWA322-WT**
 casing aluminum / white paint

code **GD-LWA322-GD**
 casing aluminum / gold plated

surface customizable anodized silver
 brushed linear
 concrete grey paint
 similar to RAL7037





GD-LWA322-BK




GD-LWA322-WT




GD-LWA322-GD


HOW IT WORKS




STEP1
Cut hole
pattern
on the
wall




STEP2
Put the
driver
and
connect
to the
main




STEP3
Fix the
metal
parts
to the
lamp
with the
long nut




STEP3
Connect
the lamp
with the
driver



STEP4
Put the
lamp into
the hole,
drive the
screw to
the
opposite
direction
to fasten
the metal
part



STEP5
Pull out
the lamp
head
and light
it on



THE BEST READING LAMP EVER DESIGNED
 360 DEGREE FREE TURNING
 DEEP RECESSED LIGHT
 FOR ANTI-GLARE PURPOSE
 TURNING BACK AND SWITCHED OFF
 SMART AND EASY INSTALLATION
 BY SCREWING IN ONE NUT
 CHROME /GOLD PLATED
 BLACK / WHITE PAINTING
 FOUR FINISHINGS AVAILABLE
 SMALL/BIG TWO SIZES OPTIONAL

code **GD-LWA321-CR**

casing aluminum / chrome plated

lampping LED 3W / Ra>80 /120LM

Beam 30 degree /

2700K/3000K/4000K/6000K

installation IP20

cut-off 125x35mm
 by 105mm depth hole for
 installation box and driver

supplied with installation box and driver

with built-in switch, when head pressed
 in ,the light switched off

the head can be rotated 350 degree
 left and right, 90 degree up and down

code **GD-LWA321-BK**

casing aluminum / black paint

code **GD-LWA321-WT**

casing aluminum / white paint

code **GD-LWA321-GD**

casing aluminum / gold plated

surface customizable anodized silver
 brushed linear concrete grey paint
 similar to RAL7037



GD-LWA321-WT




GD-LWA321-BK




GD-LWA321-GD


HOW IT WORKS




STEP1
Cut hole
pattern
on the
wall




STEP2
Put the
driver
and
connect
to the
main




STEP3
Fix the
metal
parts
to the
lamp
with the
long nut






STEP3
Connect
the lamp
with the
driver



STEP4
Put the
lamp into
the hole
drive the
screw to the
opposite
direction
to fasten
the metal
part



STEP5
Pull out
the lamp
head and
light
it on



code **GD-LWA315-WT**

casing aluminum+beech

finishing white paint

lamping LED 3W

Lumens 120LM

CRI Ra>80


Beam 10 / 20 / 30 degree

lamp color 2700K/3000K/4000K/6000K



with touching sensor switch

lens available



surface customizable

anodized silver brushed circular

anodized gold sandblasted

concrete grey paint similar to RAL7037

code **GD-LWA315-BK**

casing aluminum+beech

finishing anodized black

lamping LED 3W

Lumens 120LM

CRI Ra>80


Beam 10 / 20 / 30 degree

lamp color 2700K/3000K/4000K/6000K



with touching sensor switch

lens available



surface customizable

anodized silver brushed circular

anodized gold sandblasted

concrete grey paint similar to RAL7037

code **GD-LWA315-CR**

casing aluminum+beech

finishing chrome plated

lamping LED 3W

Lumens 120LM

CRI Ra>80


Beam 10 / 20 / 30 degree

lamp color 2700K/3000K/4000K/6000K



with touching sensor switch

lens available




surface customizable

anodized silver brushed circular

anodized gold sandblasted

concrete grey paint similar to RAL7037




code **GD-LWA314-WT**
 casing aluminum+beech
 finishing white paint
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K




with touching sensor switch

lens available



surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037




code **GD-LWA314-BK**
 casing aluminum+beech
 finishing anodized black
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K




with touching sensor switch

lens available




surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037




code **GD-LWA314-CR**
 casing aluminum+beech
 finishing chrome plated
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K




with touching sensor switch

lens available



surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037




code **GD-LWA317-WT**
 casing aluminum+beech
 finishing white paint
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K




with touching sensor switch

lens available



surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037




code **GD-LWA317-BK**
 casing aluminum+beech
 finishing anodized black
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K




with touching sensor switch

lens available



surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037




code **GD-LWA317-CR**
 casing aluminum+beech
 finishing chrome plated
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K




with touching sensor switch

lens available



surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037




code **GD-LWA316-WT**
 casing aluminum+beech
 finishing white paint
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K







with touching sensor switch

lens available



surface customizable

-  anodized silver brushed circular
-  anodized gold sandblasted
-  concrete grey paint similar to RAL7037




code **GD-LWA316-BK**
 casing aluminum+beech
 finishing anodized black
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K







with touching sensor switch

lens available



surface customizable

-  anodized silver brushed circular
-  anodized gold sandblasted
-  concrete grey paint similar to RAL7037




code **GD-LWA316-CR**
 casing aluminum+beech
 finishing chrome plated
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K






with touching sensor switch

lens available




surface customizable

-  anodized silver brushed circular
-  anodized gold sandblasted
-  concrete grey paint similar to RAL7037






code **GD-LWA205**
 casing aluminum / anodized black
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20



surface customizable white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **GD-LWA206**
 casing aluminum / anodized black
 lamping LED 2x3W / Ra>80 / 240LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20



surface customizable white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **GD-LWA203**
 casing aluminum / anodized black
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20



surface customizable white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **GD-LWA204**
 casing aluminum / anodized black
 lamping LED 2x3W / Ra>80 / 240LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20




surface customizable white paint similar to RAL9003
 concrete grey paint similar to RAL7037







code **GD-LWA067**
 casing aluminum / anodized silver
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 surface customizable white paint similar to RAL9003




code **GD-LWA070B**
 casing aluminum / anodized silver
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 surface customizable white paint similar to RAL9003




code **GD-LWA070**
 casing aluminum / anodized silver
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 surface customizable white paint similar to RAL9003




code **GD-LWA061**
 casing aluminum / anodized silver
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 surface customizable white paint similar to RAL9003






code **GD-HL9003/1**
 casing aluminum / anodized silver
 lamping LED 3W / Ra>80 /120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003




code **GD-LWA067B**
 casing aluminum / anodized silver
 lamping LED 3W / Ra>80 /120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003




code **GD-LWA224**
 casing aluminum / chrome plated
 lamping LED 1W / Ra>80 /70LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003




code **GD-LWA225**
 casing aluminum / chrome plated
 lamping LED 2W / Ra>80 /140LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003




code **GD-HL8019A**
 casing aluminum / anodized silver
 lamping LED 3W / Ra>80 /120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20



code **GD-HL8019B**
 casing aluminum / anodized silver
 lamping LED 3W / Ra>80 /120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003
 anodized black sandblasted
 concrete grey paint similar to RAL7037



code **GD-LWA186**
 casing aluminum / anodized silver
 lamping COB 5W / Ra>90 /430LM
 Beam No lense / acrylic cover
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003




code **GD-LWA230A-CR**
 casing aluminum / Chrome plated
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K

installation IP20

supplied with installation box and driver

with touching sensor switch

surface customizable white paint similar to RAL9003
 black paint equal to RAL9011



cut-off dia82mm
 by 60mm depth hole for
 installation box and driver

if there is no enough space
 for the box, we can supply
 an aluminum ring for installation.




code **GD-LWA230-CR**
 casing aluminum / Chrome plated
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K

installation IP20

supplied with installation box and driver


with touching sensor switch

surface customizable white paint similar to RAL9003
 black paint equal to RAL9011



cut-off dia82mm
 by 60mm depth hole for
 installation box and driver

if there is no enough space
 for the box, we can supply
 an aluminum ring for installation.




code **GD-LWA230A-BK**
 casing aluminum / black paint
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation

supplied with installation box and driver

with touching sensor switch

cut-off dia82mm
 by 60mm depth hole for
 installation box and driver

if there is no enough space
 for the box, we can supply
 an aluminum ring for insta-
 llatoin.




code **GD-LWA230A-WT**
 casing aluminum / white paint
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation

supplied with installation box and driver

with touching sensor switch

cut-off dia82mm
 by 60mm depth hole for
 installation box and driver


if there is no enough space
 for the box, we can supply
 an aluminum ring for insta-
 llatoin.



code **GD-LWA232A-BK**
 casing aluminum / anodized black
 lamping LED 3W / Ra>80 /120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003
 anodized silver brushed linear
 chrome plated

with touching sensor switch



code **GD-LWA231A-WT**
 casing aluminum / white paint
 lamping LED 3W / Ra>80 /120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable anodized black sandblasted
 anodized silver brushed linear
 chrome plated

with touching sensor switch



code **GD-LWA232A-BK**
 casing aluminum / anodized black
 lamping LED 3W / Ra>80 /120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003
 anodized silver brushed linear
 chrome plated

with touching sensor switch

with 1 meter cable
 plug can customized EU/AU/US standard




code **GD-LWA231A-WT**
 casing aluminum / white paint
 lamping LED 3W / Ra>80 /120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable anodized black sandblasted
 anodized silver brushed linear
 chrome plated


with touching sensor switch

with 1 meter cable
 plug can customized EU/AU/US standard



code **GD-LWA187-BK**
 casing aluminum / anodized black
 lamping cob 5W / Ra>90 /430LM
 Beam 38 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003
 concrete grey paint similar to RAL7037
 anodized silver brushed circular
 anodized gold brushed circular



code **GD-LWA188**
 casing aluminum / anodized black
 lamping cob 5W / Ra>90 /430LM
 Beam 38 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003









code **GD-LWA200-BK**
casing aluminum / anodized silver
lamping LED 3W / Ra>80 / 120LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation      IP20

code **GD-LWA200-WT**
casing aluminum / White paint





code **GD-LWA297-WT**
 casing aluminum / white paint
 lamping LED 6W / Ra>80 /600LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable chrome plated
 concrete grey paint similar to RAL7037

code **GD-LWA297-BK**
 casing aluminum / black paint


code **GD-LWA297-GD**
 casing aluminum / anodized gold
 lamping LED 6W / Ra>80 /600LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable chrome plated
 concrete grey paint similar to RAL7037

code **GD-LWA297-SL**
 casing aluminum / anodized silver








code **GD-LWA298**
 casing aluminum / chrome plated
 lamping LED 6W / Ra>80 /600LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20

With switch on the base

surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037




code **GD-LWA299**
 casing aluminum / chrome plated
 lamping LED 12W / Ra>80 /1200LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20

With two switches on the base

surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037




code **GD-LWA298A**
 casing aluminum / chrome plated
 lamping Shade LED 6W / Ra>80 /600LM
 Goose LED 3W/ Ra>80 /120LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20

With two switches on the base

surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037




code **GD-LWA299A**
 casing aluminum / chrome plated
 lamping Shade LED 12W / Ra>80 /1200LM
 Goose LED 2x3W/ Ra>80 /240LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20

With four switches on the base


surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037





code **GD-LWA289-BK**
 casing aluminum / anodized black
 lamping LED 12W / Ra>80 / 1200LM
 Beam up and down light / acrylic cover
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint
 similar to RAL9003



code **GD-LWA289-SL**
 casing aluminum / anodized silver
 lamping LED 12W / Ra>80 / 1200LM
 Beam up and down light / acrylic cover
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint
 similar to RAL9003



code **GD-LWA289-GD**
 casing aluminum / anodized gold
 lamping LED 12W / Ra>80 / 1200LM
 Beam up and down light / acrylic cover
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint
 similar to RAL9003




code **GD-LWA207B**
 casing aluminum / anodized silver
 lamping Shade cob 5W / Ra>90 /430LM
 Goose LED 3W / Ra>80 /120LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20

With two switches on the base

surface customizable

- anodized gold brushed circular
- black paint equal to RAL9011
- white paint similar to RAL9003




code **GD-LWA208B**
 casing aluminum / anodized silver
 lamping Shade cob 5W / Ra>90 /430LM
 Goose LED 3W / Ra>80 /120LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20

With two switches on the base

surface customizable

- anodized gold brushed circular
- black paint equal to RAL9011
- white paint similar to RAL9003




code **GD-LWA209B**
 casing aluminum / anodized silver
 lamping Shade cob 5W / Ra>90 /430LM
 Goose LED 3W / Ra>80 /120LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20


With two switches on the base

surface customizable

- anodized gold brushed circular
- black paint equal to RAL9011
- white paint similar to RAL9003








code **GD-LWA207A**
 casing aluminum / anodized silver
 lamping cob 5W / Ra>90 / 430LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20

With switch on the base

surface customizable

- anodized gold brushed circular
- black paint equal to RAL9011
- white paint similar to RAL9003




code **GD-LWA208A**
 casing aluminum / anodized silver
 lamping cob 5W / Ra>90 / 430LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20

With switch on the base

surface customizable

- anodized gold brushed circular
- black paint equal to RAL9011
- white paint similar to RAL9003






code **GD-LWA209A**
 casing aluminum / anodized silver
 lamping cob 5W / Ra>90 / 430LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20

With switch on the base

surface customizable

- anodized gold brushed circular
- black paint equal to RAL9011
- white paint similar to RAL9003




NEW RANGE OF LED READING LIGHTS






code **GD-LWA330-GD**
 casing aluminum
 finishing Anodized brushed gold
 lamping CREE XPE 1X3W
 Lumens 120LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC100-240V
 installation surface mount




▲ Net Weight 0.41kg



code **GD-LWA330-CR**
 casing aluminum
 finishing Chrome plated
 lamping CREE XPE 1X3W
 Lumens 120LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC100-240V
 installation surface mount



▲ Net Weight 0.41kg






code **GD-LWA330-BK**
casing aluminum
finishing black painting
lamping CREE XPE 1X3W
Lumens 120LM
CRI Ra>80
Beam 30 degree
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation surface mount




▲ Net Weight 0.41kg




code **GD-LWA330-WT**
casing aluminum
finishing white painting
lamping CREE XPE 1X3W
Lumens 120LM
CRI Ra>80
Beam 30 degree
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation surface mount



▲ Net Weight 0.41kg





code **GD-LWA331-WT**

white paint
similar to RAL9003

code **GD-LWA331-GD**

anodized gold
brushed circular


code **GD-LWA331-SL**

anodized silver
brushed circular

code **GD-LWA331-BK**

black paint
equal to RAL9011


casing aluminum
finishing black/white painting
anodized gold/silver
lampping CREE COB 1304 3W
Lumens 240LM
CRI Ra>90
Beam 23 degree/with frosted cover
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation surface mount






Net Weight 0.5kg



FANTASY READDDDDDING LIGHT









code **GD-LWA323-CR**
 casing aluminum
 finishing Chrome plated
 lamping CREE XPE 1X3W
 Lumens 120LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC100-240V
 installation Recessed wall mount
 cut-off 180x70x75mm
 check manul below



code **GD-LWA323-GD**
 casing aluminum
 finishing gold plated
 lamping CREE XPE 1X3W
 Lumens 120LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC100-240V
 installation Recessed wall mount
 cut-off 180x70x75mm
 check manul below




▲ Net Weight 1.07kg

▲ Net Weight 1.07kg






code **GD-LWA323-WT**
 casing aluminum
 finishing white painting
 lamping CREE XPE 1X3W
 Lumens 120LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC100-240V
 installation Recessed wall mount
 cut-off 180x70x75mm
 check manul below




▲ Net Weight 1.07kg



code **GD-LWA323-BK**
 casing aluminum
 finishing black painting
 lamping CREE XPE 1X3W
 Lumens 120LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC100-240V
 installation Recessed wall mount
 cut-off 180x70x75mm
 check manul below




▲ Net Weight 1.07kg



2019 NEW RANGE OF LED READING LIGHTS











code **GD-LWA335-WT**
 casing steel+fabric / white painting
 lamping LED 3W+E27 / Ra>80 /120LM
 Beam 30 degree for the spot
 2700K/3000K/4000K/6000K
 installation IP20


code **GD-LWA335-CR**
 casing steel+fabric / chrome plated
 lamping LED 3W+E27 / Ra>80 /120LM
 Beam 30 degree for the spot
 2700K/3000K/4000K/6000K
 installation IP20



code **GD-LWA335-BK**
 casing steel+fabric / black painting
 lamping LED 3W+E27 / Ra>80 /120LM
 Beam 30 degree for the spot
 2700K/3000K/4000K/6000K
 installation IP20


surface customizable concrete grey paint similar to RAL7037











code **GD-LWA334A-WT**
casing steel / white painting
lamping LED 3W spot+4W background light
/ Ra>80 /120LM+400lm
Beam 30 degree for the spot
2700K/3000K/4000K/6000K
installation    IP20



code **GD-LWA334A-BK**
casing steel / black painting
lamping LED 3W spot+4W background light
/ Ra>80 /120LM+400lm
Beam 30 degree for the spot
2700K/3000K/4000K/6000K
installation     IP20




code **GD-LWA334B-WT**
 casing steel / white painting
 lamping LED 3W spot+4W background light
 / Ra>80 /120LM+400lm
 Beam 30 degree for the spot
 2700K/3000K/4000K/6000K
 installation     IP20

code **GD-LWA334B-BK**
 casing steel / black painting
 lamping LED 3W spot+4W background light
 / Ra>80 /120LM+400lm
 Beam 30 degree for the spot
 2700K/3000K/4000K/6000K
 installation     IP20



F007



code **GD-LWA333-BK**
 casing aluminum / black painting
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/3000K/4000K/6000K
 installation

code **GD-LWA333-WT**
 casing aluminum / white painting
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/3000K/4000K/6000K
 installation




code **GD-LWA333-CR**
 casing aluminum / chrome plated
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/3000K/4000K/6000K
 installation

code **GD-LWA333-GD**
 casing aluminum / golden plated
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/3000K/4000K/6000K
 installation

2020 NEW SERIES OF LED READING LIGHTS








code **GD-LWA375-BK**
 casing steel+fabric / black painting
 lamping LED 3W+E14 / Ra>80 /120LM
 Beam 30 degree for the spot
 2700K/3000K/4000K/6000K
 installation IP20


code **GD-LWA375-WT**
 casing steel+fabric / white painting
 lamping LED 3W+E14 / Ra>80 /120LM
 Beam 30 degree for the spot
 2700K/3000K/4000K/6000K
 installation IP20

code **GD-LWA375-CR**
 casing steel+fabric / chrome plated
 lamping LED 3W+E14 / Ra>80 /120LM
 Beam 30 degree for the spot
 2700K/3000K/4000K/6000K
 installation IP20


Supplied with a 4W E14 LED bulb




Spot on the right side




Spot on the right side




Spot on the bottom side




swing the arm and the spot
to change the installation







horizontal installation







vertical installation




code **GD-LWA334S-BK**
 casing steel / black painting
 lamping LED 3W spot+3W background light
 / Ra>80 /120LM+400lm
 Beam 30 degree for the spot
 2700K/3000K/4000K/6000K
 installation IP20


code **GD-LWA334S-WT**
 casing steel / white painting
 lamping LED 3W spot+3W background light
 / Ra>80 /120LM+400lm
 Beam 30 degree for the spot
 2700K/3000K/4000K/6000K
 installation IP20





code **GD-LWA379-WT**
casing steel / white painting
lamping LED 1W spot+3W background light
/ Ra>80 /70LM+240lm
Beam 30 degree for the spot
2700K/3000K/4000K/6000K
installation    IP20

code **GD-LWA379-BK**
casing steel / black painting
lamping LED 1W spot+3W background light
/ Ra>80 /70LM+240lm
Beam 30 degree for the spot
2700K/3000K/4000K/6000K
installation    IP20




code **GD-LWA374-BK**
 casing aluminum / black painting
 lamping COB 5W / Ra>90 /430LM
 Beam 23 degree
 2700K/3000K/4000K/6000K
 installation IP20
 recessed cut-off dia35mm

code **GD-LWA374-WT**
 casing aluminum / white painting
 lamping COB 5W / Ra>90 /430LM
 Beam 23 degree
 2700K/3000K/4000K/6000K
 installation IP20
 recessed cut-off dia35mm

code **GD-LWA374-SL**
 casing aluminum / anodized silver
 lamping COB 5W / Ra>90 /430LM
 Beam 23 degree
 2700K/3000K/4000K/6000K
 installation IP20
 recessed cut-off dia35mm

code **GD-LWA374-GD**
 casing aluminum / anodized gold
 lamping COB 5W / Ra>90 /430LM
 Beam 23 degree
 2700K/3000K/4000K/6000K
 installation IP20
 recessed cut-off dia35mm





code [GD-LWA373-BK](#)

casing aluminum / black painting

lamping LED 3W / Ra>80 / 120LM

Beam 30 degree

2700K/3000K/4000K/6000K

installation    IP20



recessed cut-off 110X35mm

code [GD-LWA373-WT](#)



casing aluminum / white painting

code [GD-LWA373-SL](#)


casing aluminum / anodized silver



2021 NEW SERIES OF LED READING LIGHTS







wireless charging board
on the left side

code **GD-LWA420-BK**

casing steel+fabric / black painting

lamping E14 / supplied with a 4W bulb

Ra>80 /320LM / 3000K

Wireless charging 5V / 0.1-1A

USB charging 5V / 2A

installation     IP20

code **GD-LWA420-WT**

casing steel+fabric / white painting

lamping E14 / supplied with a 4W bulb


Ra>80 /320LM / 3000K

Wireless charging 5V / 0.1-1A

USB charging 5V / 2A

installation     IP20





wireless charging board
on the right side

code **GD-LWA422-BK**

casing steel+fabric / black painting

lamping E14 / supplied with a 4W bulb

Ra>80 /320LM / 3000K

Wireless charging 5V / 0.1-1A

USB charging 5V / 2A

installation IP20

code **GD-LWA422-WT**

casing steel+fabric / white painting


lamping E14 / supplied with a 4W bulb

Ra>80 /320LM / 3000K





Wireless charging 5V / 0.1-1A





USB charging 5V / 2A

installation IP20




wireless charging board
on the bottom

code **GD-LWA421-BK**
 casing steel+fabric / black painting
 lamping E14 / supplied with a 4W bulb
 Ra>80 / 320LM / 3000K
 Wireless charging 5V / 0.1-1A
 USB charging 5V / 2A
 installation     IP20

code **GD-LWA421-WT**
 casing steel+fabric / white painting
 lamping E14 / supplied with a 4W bulb
 Ra>80 / 320LM / 3000K
 Wireless charging 5V / 0.1-1A
 USB charging 5V / 2A
 installation     IP20







wireless charging board
on the left side

code **GD-LWA417-BK**

casing steel / black painting

lamping LED 3W spot+4W background light
/ Ra>80 /120LM+400lm

Beam 30 degree for the spot
2700K/3000K/4000K/6000K

installation     IP20

Wireless charging 5V / 0.1-1A

USB charging 5V / 2A

code **GD-LWA417-WT**

casing steel / white painting


lamping LED 3W spot+4W background light
/ Ra>80 /120LM+400lm

Beam 30 degree for the spot
2700K/3000K/4000K/6000K

installation     IP20

Wireless charging 5V / 0.1-1A

USB charging 5V / 2A



wireless charging board
on the right side

code **GD-LWA419-BK**

casing steel / black painting

lamping LED 3W spot+4W background light
/ Ra>80 /120LM+400lm

Beam 30 degree for the spot
2700K/3000K/4000K/6000K

installation IP20

Wireless charging 5V / 0.1-1A

USB charging 5V / 2A

code **GD-LWA419-WT**

casing steel / white painting


lamping LED 3W spot+4W background light
/ Ra>80 /120LM+400lm

Beam 30 degree for the spot
2700K/3000K/4000K/6000K

installation IP20

Wireless charging 5V / 0.1-1A

USB charging 5V / 2A




wireless charging board on the top side

code **GD-LWA418-BK**
 casing steel / black painting
 lamping LED 3W spot+4W background light / Ra>80 /120LM+400lm
 Beam 30 degree for the spot
 2700K/3000K/4000K/6000K
 installation IP20
 Wireless charging 5V / 0.1-1A
 USB charging 5V / 2A




code **GD-LWA418-WT**
 casing steel / white painting
 lamping LED 3W spot+4W background light / Ra>80 /120LM+400lm
 Beam 30 degree for the spot
 2700K/3000K/4000K/6000K
 installation IP20
 Wireless charging 5V / 0.1-1A
 USB charging 5V / 2A


LED BATHROOM LIGHT






code **GD-LWA151-SL**
 casing Aluminum / anodized silver
 lamping LED 20W / Ra>80 /2000LM
 Beam up and down light /
 2700K/3000K/4000K/6000K
 installation    IP20

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **GD-LWA149-SL**
 casing Aluminum / anodized silver
 lamping LED 8W / Ra>80 /800LM
 Beam up and down light /
 2700K/3000K/4000K/6000K
 installation IP20


surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037








code **GD-LWA150-SL**
 casing Aluminum / anodized silver
 lamping LED 12W / Ra>80 /1200LM
 Beam up and down light /
 2700K/3000K/4000K/6000K
 installation IP20


surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037









code **GD-LWA196**
casing Aluminum / anodized black
lamping LED 12W / Ra>80 / 840LM
Beam acrylic diffuser /
2700K/3000K/4000K/6000K
installation     IP20

surface customizable  anodized silver
brushed linear
 white paint
similar to RAL9003
 concrete grey paint
similar to RAL7037








code **GD-LWA195**
 casing Aluminum / anodized silver
 lamping LED 6W / Ra>80 /420LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation     IP20




surface customizable  anodized silver
 brushed linear
 white paint
 similar to RAL9003
 concrete grey paint
 similar to RAL7037











code **GD-LWA237**
 casing Aluminum / chrome plated
 lamping LED 3x3W / Ra>80 /360LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation     IP20






surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **GD-LWA238**
 casing Aluminum / chrome plated
 lamping LED 4x3W / Ra>80 /480LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation     IP20



surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037






code **GD-LWA189**
 casing Aluminum / anodized black
 lamping LED 2x3W / Ra>80 /240LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K

installation IP20


surface customizable anodized silver sandblasted



code **GD-LWA190**
 casing Aluminum / anodized black
 lamping LED 3x3W / Ra>80 /360LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K

installation IP20


surface customizable anodized silver sandblasted



code **GD-LWA191**
 casing Aluminum / anodized black
 lamping LED 2x3W / Ra>80 /240LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K

installation IP20


surface customizable anodized silver sandblasted



code **GD-LWA192**
 casing Aluminum / anodized black
 lamping LED 3x3W / Ra>80 /360LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K


installation IP20

surface customizable anodized silver sandblasted



code **GD-LWA193**
 casing Aluminum / anodized black
 lamping LED 2x3W / Ra>80 /240LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20


surface customizable anodized silver sandblasted



code **GD-LWA194**
 casing Aluminum / anodized black
 lamping LED 3x3W / Ra>80 /360LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable anodized silver sandblasted





code **GD-LWA235**

casing steel / chrome plated


lamping LED 3x1W / Ra>80 /210LM

Beam acrylic diffuser /

2700K/3000K/4000K/6000K

installation IP20

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **GD-LWA236**

casing steel / chrome plated

lamping LED 4x1W / Ra>80 /280LM

Beam acrylic diffuser /

2700K/3000K/4000K/6000K


installation IP20

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037





NEW RANGE OF LED BATHROOM LIGHTS



code **GD-LWA336**


casing Stainless steel + acrylic






lamping COB 3W / Ra>90 /300LM



Beam 2700K/3000K/4000K/6000K

installation    IP44

surface customizable white paint similar to RAL9003



code **GD-LWA337**
casing Stainless steel + acrylic
lamping COB 2x3W / Ra>90 /600LM
Beam 2700K/3000K/4000K/6000K
installation     IP44
surface customizable  white paint
similar to RAL9003



code **GD-LWA338**


casing stainless steel + acrylic

lamping COB 3x3W / Ra>90 /900LM

Beam 2700K/3000K/4000K/6000K

installation     IP44

surface customizable  white paint
similar to RAL9003



code **GD-LWA339**

casing stainless steel + acrylic

lampping COB 4x3W / Ra>90 /1200LM


Beam 2700K/3000K/4000K/6000K

installation     IP44

surface customizable  white paint
similar to RAL9003

LED STEP LIGHT









code **GD-LSL001**


casing aluminum / anodized silver


lamping LED 1W / Ra>80 / 70LM


Beam no lense /

2700K/3000K/4000K/6000K

installation   IP20



 dia 45x95mm
for installation box
for concrete wall

 dia 40mm recessed
for wooden wall

supply with aluminum installation box

code **GD-LSL002**


casing aluminum / anodized silver


lamping LED 1W / Ra>80 / 70LM


Beam no lense /

2700K/3000K/4000K/6000K

installation   IP20




 dia 45x95mm
for installation box
for concrete wall



 dia 40mm recessed
for wooden wall

supply with aluminum installation box



code **GD-LSL003**
 casing aluminum / anodized silver
 lamping LED 1W / Ra>80 / 70LM
 Beam no lense /
 2700K/3000K/4000K/6000K
 installation    IP20






-  dia 45x95mm for installation box for concrete wall
-  dia 40mm recessed for wooden wall

supply with aluminum installation box



code **GD-LSL004**
 casing aluminum / anodized silver
 lamping LED 1W / Ra>80 / 70LM
 Beam no lense /
 2700K/3000K/4000K/6000K
 installation    IP20




-  dia 45x95mm for installation box for concrete wall
-  dia 40mm recessed for wooden wall



supply with aluminum installation box






code **GD-LSL008**
 casing aluminum / anodized silver
 lamping LED 1W / Ra>80 /70LM
 Beam acrylic diffuser/
 2700K/3000K/4000K/6000K
 installation   IP20




-  dia 45x95mm for installation box for concrete wall
-  dia 40mm recessed for wooden wall

supply with aluminum installation box


code **GD-LSL009**
 casing aluminum / anodized silver
 lamping LED 1W / Ra>80 /70LM
 Beam acrylic diffuser/
 2700K/3000K/4000K/6000K
 installation   IP20





-  dia 45x95mm for installation box for concrete wall
-  dia 40mm recessed for wooden wall


supply with aluminum installation box

code **GD-LSL008A**
 casing aluminum / anodized silver
 stainless steel cover / nickel
 lamping LED 1W / Ra>80 /70LM
 Beam acrylic diffuser/
 2700K/3000K/4000K/6000K
 installation    IP20






-  dia 45x95mm
for installation box
for concrete wall
-  dia 40mm recessed
for wooden wall

supply with aluminum installation box








code **GD-LSL009A**
 casing aluminum / anodized silver
 stainless steel cover / nickel
 lamping LED 1W / Ra>80 /70LM
 Beam acrylic diffuser/
 2700K/3000K/4000K/6000K
 installation    IP20




-  dia 45x95mm
for installation box
for concrete wall
-  dia 40mm recessed
for wooden wall

supply with aluminum installation box


- surface customizable
-  anodized silver brushed linear
 -  anodized gold brushed circular
 -  black paint equal to RAL9011
 -  white paint similar to RAL9003
 -  concrete grey paint similar to RAL7037









code **GD-LSL011**
 casing aluminum / anodized silver
 lamping LED 1W / Ra>80 / 70LM
 Beam 60 degree / no lense
 2700K/3000K/4000K/6000K
 installation     IP20

 installed with standard 86x86mm switch box




supply with standard 86mm switch box




code **GD-LSL013**
 casing aluminum / anodized silver
 lamping LED 1W / Ra>80 / 70LM
 Beam 30 degree / no lense
 2700K/3000K/4000K/6000K
 installation     IP20

 installed with standard 86x86mm switch box


supply with standard 86mm switch box




code **GD-LSL011A**
 casing aluminum / chrome plated
 lamping LED 1W / Ra>80 / 70LM
 Beam glass diffuser /
 2700K/3000K/4000K/6000K
 installation     IP20

 installed with standard
 86x86mm switch box


supply with standard 86mm switch box




code **GD-LSL012A**
 casing aluminum / chrome plated
 lamping LED 1W / Ra>80 / 70LM
 Beam glass diffuser /
 2700K/3000K/4000K/6000K
 installation     IP20

 installed with standard
 86x86mm switch box

supply with standard 86mm switch box



code **GD-LSL013A**
 casing aluminum / chrome plated
 lamping LED 1W / Ra>80 / 70LM
 Beam glass diffuser /
 2700K/3000K/4000K/6000K
 installation     IP20

 installed with standard
 86x86mm switch box

supply with standard 86mm switch box





LED PENDA







NT LIGHTS



code **GD-HL012-WT**

surface customizable  chrome plated  concrete grey paint similar to RAL7037  anodized gold brushed circular

casing aluminum / white painting / lamping LED 3W / Ra>80 / 120LM / Beam 30 degree / 2700K/3000K/4000K/6000K





installation     IP20 lamp shade dia28mm x 500mm 1meter cable / cable length customizable



code **GD-HL012-BK**

surface customizable  chrome plated  concrete grey paint similar to RAL7037  anodized gold brushed circular

casing aluminum / black painting / lamping LED 3W / Ra>80 / 120LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia28mm x 500mm 1meter cable / cable length customizable















code **GD-LPL045-BK**

surface customizable  chrome plated  concrete grey paint similar to RAL7037  anodized gold brushed linear

casing aluminum / black painting / lamping LED 3W / Ra>80 / 120LM / Beam 30 degree / 2700K/3000K/4000K/6000K





installation     IP20 lamp shade 25x25mm x 350mm 1meter cable / cable length customizable




code **GD-LPL045-WT**


surface customizable  chrome plated  concrete grey paint similar to RAL7037  anodized gold brushed linear

casing aluminum / white painting / lamping LED 3W / Ra>80 / 120LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade 25x25mm x 350mm 1meter cable / cable length customizable













code [GD-LPL201-RD](#) / [GD-LPL201-BK](#) / [GD-LPL201-WT](#)


casing aluminum / red/black/white painting / lamping LED 1W / Ra>80 /70LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia16mm x 1100mm 1meter cable / cable length customizable


surface
customizable

 chrome plated

 concrete grey paint
similar to RAL7037

 anodized gold
brushed linear











code **GD-LPL364-BK**





surface customizable

chrome plated

concrete grey paint similar to RAL7037

casing aluminum / black painting / Gu10 socket / bulb not included max 50W /

anodized silver brushed linear

installation     IP20 lamp shade dia148mm x 200mm 2meter cable / cable length customizable

code **GD-LPL364-WT**


surface customizable

chrome plated

concrete grey paint similar to RAL7037

casing aluminum / white painting / Gu10 socket / bulb not included max 50W /

anodized silver brushed linear

installation     IP20 lamp shade dia148mm x 200mm 2meter cable / cable length customizable

code **GD-LPL364-GD**





surface customizable

chrome plated

concrete grey paint similar to RAL7037

casing aluminum / black painting / anodized gold / Gu10 socket / bulb not included max 50W /

anodized silver brushed linear

installation     IP20 lamp shade dia148mm x 200mm 2meter cable / cable length customizable



GD-LPL149







GD-LPL151



GD-LPL150


code **GD-LPL149**

casing aluminum / anodized black / lamping LED 3W / Ra>80 / 210LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia38mm x 385mm 1meter cable / cable length customizable



code **GD-LPL150**

casing aluminum / anodized black / lamping LED 6W / Ra>80 / 420LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia54mm x 635mm 1meter cable / cable length customizable

code **GD-LPL151**

casing aluminum / anodized black / lamping LED 9W / Ra>80 / 630LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia70mm x 920mm 1meter cable / cable length customizable





code [GD-LPL264-BK](#) / [GD-LPL264-CR](#) / [GD-LPL264-WT](#)

surface customizable  concrete grey paint similar to RAL7037

casing Steel tube / black/chrome/white painting / lamping cob 5W / Ra>90 /430LM / acrylic diffuser / 2700K/3000K/4000K/6000K


installation     IP20 lamp shade dia40mm x 500mm 1meter cable / cable length customizable



code [GD-LPL226-CR](#) / [GD-LPL226-BK](#) / [GD-LPL226-WT](#)

surface customizable  concrete grey paint similar to RAL7037

casing steel tube / chrome/black/white painting / lamping LED 3W / Ra>80 /120LM / 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia40mm x 500mm 1meter cable / cable length customizable







code [GD-LPL274-BK](#) / [GD-LPL264-WT](#)

surface
customizable

■ concrete grey paint
similar to RAL7037

casing Steel tube and shade / black/white painting / lamping cob 5W / Ra>90 /430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia160mm x 580mm 1meter cable / cable length customizable





GD-LPL152-BK



GD-LPL153-BK



GD-LPL152-WT



GD-LPL155-BK



GD-LPL155-WT



GD-LPL154-BK



GD-LPL153-WT







code **GD-LPL152-BK**

casing aluminum / anodized black / lamping LED 6W / Ra>80 /420LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia100mm x 300mm 1meter cable / cable length customizable

code **GD-LPL152-WT**

casing aluminum / plated white / lamping LED 6W / Ra>80 /420LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia100mm x 300mm 1meter cable / cable length customizable


code **GD-LPL153-BK**

casing aluminum / anodized black / lamping LED 6W / Ra>80 /420LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia100mm x 300mm 1meter cable / cable length customizable

code **GD-LPL153-WT**

casing aluminum / plated white / lamping LED 6W / Ra>80 /420LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia100mm x 300mm 1meter cable / cable length customizable

code **GD-LPL154-BK**

casing aluminum / anodized black / lamping LED 6W / Ra>80 /420LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia100mm x 300mm 1meter cable / cable length customizable

code **GD-LPL154-WT**

casing aluminum / plated white / lamping LED 6W / Ra>80 /420LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia100mm x 300mm 1meter cable / cable length customizable

code **GD-LPL155-BK**

casing aluminum / anodized black / lamping LED 6W / Ra>80 /420LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia100mm x 300mm 1meter cable / cable length customizable

code **GD-LPL155-WT**

casing aluminum / plated white / lamping LED 6W / Ra>80 /420LM / Beam 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia100mm x 120mm 1meter cable / cable length customizable



GD-LPL287-BK



GD-LPL288-BK



GD-LPL286-BK






GD-LPL290-BK





code [GD-LPL286-BK](#) / [GD-LPL286-WT](#) surface customizable  chrome plated  concrete grey paint similar to RAL7037  anodized gold brushed linear

casing aluminum / black/white painting / lamping COB 5W / Ra>90 / 430LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 60mm x 75mm 2meter cable / cable length customizable

code [GD-LPL287-BK](#) / [GD-LPL287-WT](#) surface customizable  chrome plated  concrete grey paint similar to RAL7037  anodized gold brushed linear

casing aluminum / black/white painting / lamping COB 5W / Ra>90 / 430LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 65mm x 75mm 2meter cable / cable length customizable



GD-LPL290-WT



GD-LPL287-WT



GD-LPL286-WT



GD-LPL288-WT

code [GD-LPL288-BK](#) / [GD-LPL288-WT](#) surface customizable  chrome plated  concrete grey paint similar to RAL7037  anodized gold brushed linear

casing aluminum / black/white painting / lamping COB 5W / Ra>90 / 430LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 75mm x 80mm 2meter cable / cable length customizable

code [GD-LPL290-BK](#) / [GD-LPL290-WT](#) surface customizable  chrome plated  concrete grey paint similar to RAL7037  anodized gold brushed linear

casing aluminum / black/white painting / lamping COB 5W / Ra>90 / 430LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 68mm x 75mm 2meter cable / cable length customizable



code **GD-LPL268-BK**

surface customizable

■ concrete grey paint similar to RAL7037

casing beech rod and aluminum / anodized black / lamping LED 3W / Ra>80 /120LM / 30 degree / 2700K/3000K/4000K/6000K

installation ■ ⓘ CE ▽ IP20 lamp shade dia28mm x 500mm 1meter cable / cable length customizable

code **GD-LPL268-CR**

surface customizable

■ concrete grey paint similar to RAL7037

casing beech rod and aluminum / Chrome plated / lamping LED 3W / Ra>80 /120LM / 30 degree / 2700K/3000K/4000K/6000K

installation ■ ⓘ CE ▽ IP20 lamp shade dia28mm x 500mm 1meter cable / cable length customizable

code **GD-LPL268-WT**

surface customizable

■ concrete grey paint similar to RAL7037

casing beech rod and aluminum / white painting / lamping LED 3W / Ra>80 /120LM / 30 degree / 2700K/3000K/4000K/6000K

installation ■ ⓘ CE ▽ IP20 lamp shade dia28mm x 500mm 1meter cable / cable length customizable



A photograph of a forest with tall, slender trees and a floor covered in moss and fallen branches. Sunlight filters through the canopy, creating a warm, golden glow. The text is overlaid in white, sans-serif font.

FEEL THE NATURE
AT HOME

THE NEW WOOD
PENDENT LIGHT
SERIES





GD-LPL229-CR



GD-LPL230-WT



GD-LPL230-GD







GD-LPL229-BK

code **GD-LPL229-CR / GD-LPL229-BK**


surface customizable  concrete grey paint similar to RAL7037  anodized gold brushed linear

casing aluminum+beech / chrome plated/black painting / lamping COB 5W / Ra>90 /430LM / Beam 10/23/38 degree / 2700K/3000K

installation     IP20 lamp shade dia 80mm x300mm 1.7meter cable / cable length customizable

4000K/6000K

code **GD-LPL230-WT/ GD-LPL230-GD**

surface customizable  concrete grey paint similar to RAL7037  anodized gold brushed linear

casing aluminum+beech / white painting/golden plated / lamping COB 12W / Ra>90 /900LM / Beam 10/23/38 degree / 2700K/3000K

installation     IP20 lamp shade dia 150mm x140mm 1.7meter cable / cable length customizable

4000K/6000K



GD-LPL230-CR



GD-LPL229-WT



GD-LPL230-BK







GD-LPL229-GD

code **GD-LPL229-WT/ GD-LPL229-GD**

surface customizable concrete grey paint similar to RAL7037 anodized gold brushed linear

casing aluminum+beech / white painting/golden plating / lamping COB 5W / Ra>90 /430LM / Beam 10/23/38 degree / 2700K/3000K 4000K/6000K

installation     IP20 lamp shade dia 80mm x300mm 1.7meter cable / cable length customizable

code **GD-LPL230-CR / GD-LPL230-BK**

surface customizable concrete grey paint similar to RAL7037 anodized gold brushed linear

casing aluminum+beech / chrome plated/black painting / lamping COB 12W / Ra>90 /900LM / Beam 10/23/38 degree / 2700K/3000K 4000K/6000K


installation     IP20 lamp shade dia 150mm x140mm 1.7meter cable / cable length customizable



**2020 SPRING
NEW
PENDENT LIGHT
SERIES**

FEEL THE
NATURE
AT HOME






GD-LPL348



GD-LPL350



GD-LPL349

code **GD-LPL348**

surface customizable  chrome plated

casing aluminum+beech / anodized gold / lamping COB 5W / Ra>90 /430LM / Beam 15 / 24 /38 / 60 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 160mm x110mm 2meter cable / cable length customizable

code **GD-LPL349**

surface customizable  chrome plated

casing aluminum +beech +acrylic / anodized gold / lamping COB 5W / Ra>90 /430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 160mm x130mm 2meter cable / cable length customizable

code **GD-LPL350**

surface customizable  chrome plated

casing aluminum+beech / anodized gold / lamping E27 Socket / supplier with a 4W dia80mm LED bulb 3000K default

installation     IP20 lamp shade dia 160mm x160mm 2meter cable / cable length customizable








GD-LPL353-BK
SMALL
DIA 90MM
SPHEROID




GD-LPL354-BK
MEDIUM
DIA 115MM
SPHEROID

code **GD-LPL353-BK**

surface
customizable

 anodized gold
brushed linear

 white paint
similar to RAL9003

casing aluminum+acrylic / black painting / lamping LED 4W / Ra>80 /400LM / acrylic diffuser / 2700K/3000K/4000K/6000K


installation     IP20

lamp shade dia 90mm x90mm 2meter cable / cable length customizable

code **GD-LPL354-BK**

surface
customizable

 anodized gold
brushed linear

 white paint
similar to RAL9003

casing aluminum+acrylic / black painting / lamping LED 6W / Ra>80 /600LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20

lamp shade dia 115mm x115mm 2meter cable / cable length customizable



GD-LPL353-CR
SMALL
DIA 90MM
SPHEROID



GD-LPL354-CR
MEDIUM
DIA 115MM
SPHEROID

code **GD-LPL353-CR**

surface
customizable



anodized gold
brushed linear



white paint
similar to RAL9003

casing aluminum+acrylic / chrome plated / lamping LED 4W / Ra>80 / 400LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20

lamp shade dia 90mm x90mm 2meter cable / cable length customizable

code **GD-LPL354-CR**

surface
customizable



anodized gold
brushed linear



white paint
similar to RAL9003


casing aluminum+acrylic / chrome plated / lamping LED 6W / Ra>80 / 600LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20


lamp shade dia 115mm x115mm 2meter cable / cable length customizable




MEASUREMENTS FOR THE PENDENTS



GD-LPL348




GD-LPL349



GD-LPL350



GD-LPL353



GD-LPL354



D60X110MM
GD-DS006-BK



D60X200MM
GD-DS007-BK







D60X300MM
GD-DS008-BK



D60X400MM
GD-DS009-BK

code [GD-DS006-BK](#) / [GD-DS007-BK](#) / [GD-DS008-BK](#) / [GD-DS009-BK](#)

casing aluminum / black painting / lamping Gu10 socket / supplied with 5W LED bulb / Ra>80 /430LM / Beam 30 degree / 3000K

installation     IP20 1meter cable / cable length customizable / can be customized to be FABRIC CABLE



D60X400MM
GD-DS009-WT



D60X300MM
GD-DS008-WT







D60X200MM
GD-DS007-WT



D60X110MM
GD-DS006-WT

code [GD-DS006-WT](#) / [GD-DS007-WT](#) / [GD-DS008-WT](#) / [GD-DS009-WT](#)

casing aluminum / white painting / lamping Gu10 socket / supplied with 5W LED bulb / Ra>80 / 430LM / Beam 30 degree / 3000K

installation     IP20 1meter cable / cable length customizable / can be customized to be FABRIC CABLE



D60X110MM
GD-DS006-GD



D60X400MM
GD-DS009-GD







D60X300MM
GD-DS008-GD



D60X200MM
GD-DS007-DG

code [GD-DS006-GD](#) / [GD-DS007-GD](#) / [GD-DS008-GD](#) / [GD-DS009-GD](#)

casing aluminum / anodized gold / lamping Gu10 socket / supplied with 5W LED bulb / Ra>80 /430LM / Beam 30 degree / 3000K

installation     IP20 1meter cable / cable length customizable / can be customized to be FABRIC CABLE



D60X200MM
GD-DS007-SL



D60X300MM
GD-DS008-SL







D60X400MM
GD-DS009-SL






D60X110MM
GD-DS006-SL

code [GD-DS006-SL](#) / [GD-DS007-SL](#) / [GD-DS008-SL](#) / [GD-DS009-SL](#)

casing aluminum / anodized silver / lamping Gu10 socket / supplied with 5W LED bulb / Ra>80 / 430LM / Beam 30 degree / 3000K

installation     IP20 1meter cable / cable length customizable / can be customized to be FABRIC CABLE



NO SHAPE
NO BOUNDARIES
NO LIMITS

THIS IS WHAT
WE CALL
MINIMALISM

THE MINIMALISM
LED PENDENT LIGHT
SERIES



GD-LPL300-WT



GD-LPL219-WT



GD-LPL300-BK







GD-LPL220-WT

code **GD-LPL218-WT/ GD-LPL218-BK**

surface customizable  concrete grey paint similar to RAL7037


casing aluminum / white painting/black plating / lamping COB 5W / Ra>90 /430LM / Beam 10/23/38 degree / 2700K/3000K/ 4000K/6000K

installation     IP20 lamp shade dia 60mm x300mm 1.7meter cable / cable length customizable

code **GD-LPL218-SL / GD-LPL218-GD**

surface customizable  concrete grey paint similar to RAL7037

casing aluminum / anodized silver/ golden / lamping COB 5W / Ra>90 /430LM / Beam 10/23/38 degree / 2700K/3000K/ 4000K/6000K





installation     IP20 lamp shade dia 60mm x300mm 1.7meter cable / cable length customizable



code **GD-LPL219-WT/ GD-LPL219-BK**

surface customizable  concrete grey paint similar to RAL7037





casing aluminum / white painting/black plating / lamping COB 9W / Ra>90 /800LM / Beam 10/23/38 degree / 2700K/3000K/ 4000K/6000K

installation     IP20 lamp shade dia 80mm x250mm 1.75meter cable / cable length customizable

code **GD-LPL219-SL / GD-LPL219-GD**

surface customizable  concrete grey paint similar to RAL7037

casing aluminum / anodized silver/ golden / lamping COB 9W / Ra>90 /800LM / Beam 10/23/38 degree / 2700K/3000K/ 4000K/6000K

installation     IP20 lamp shade dia 80mm x250mm 1.75meter cable / cable length customizable



GD-LPL220-SL



GD-LPL219-BK



GD-LPL218-GD







GD-LPL300-GD

code **GD-LPL220-WT/ GD-LPL220-BK**

surface customizable  concrete grey paint similar to RAL7037





casing aluminum / white painting/black plating / lamping COB 12W / Ra>90 /900LM / Beam 10/23/38 degree / 2700K/3000K/ 4000K/6000K

installation     IP20 lamp shade dia 102mm x200mm 1.8meter cable / cable length customizable

code **GD-LPL220-SL / GD-LPL220-GD**

surface customizable  concrete grey paint similar to RAL7037

casing aluminum / anodized silver/ golden / lamping COB 12W / Ra>90 /900LM / Beam 10/23/38 degree / 2700K/3000K/ 4000K/6000K

installation     IP20 lamp shade dia 102mm x200mm 1.8meter cable / cable length customizable



GD-LPL218-SL



GD-LPL219-GD



GD-LPL220-GD



GD-LPL218-BK

code **GD-LPL300-WT/ GD-LPL300-BK**

casing aluminum / white painting/black plating / E27 socket / bulb not included / Max 40W




surface customizable  concrete grey paint similar to RAL7037

installation     IP20 lamp shade dia 150mm x250mm 1.75meter cable / cable length customizable


code **GD-LPL300-SL / GD-LPL300-GD**

casing aluminum / anodized silver / anodized golden / E27 socket / bulb not included / Max 40W


surface customizable  concrete grey paint similar to RAL7037

installation     IP20 lamp shade dia 150mm x250mm 1.75meter cable / cable length customizable


MEASUREMENTS FOR THE PENDENTS




GD-LPL229




GD-LPL230




GD-LPL218




GD-LPL219



GD-LPL220



GD-LPL300



HEXAGON SERIES
Gu10 SOCKET
Pendant
Light

surface
customizable
■ concrete grey paint
similar to RAL7037




5W COB
GU10 LED
BULB
RECOMMENDED

code [GD-LPL356-BK](#) / [GD-LPL356-WT](#)

casing aluminum / black painting / white painting / lamping Gu10 socket Max 50w / bulb not included / Gu10 5W LED Bulb recommended

installation     IP20 / 90MM hexagon lamp shade / 2 meter cable default



HEXAGON SERIES
Gu10 SOCKET
Pendant
Light

surface
customizable
■ concrete grey paint
similar to RAL7037




5W COB
GU10 LED
BULB
RECOMMENDED

code [GD-LPL356-GD](#) / [GD-LPL356-SL](#)

casing aluminum / anodized gold / anodized silver / lamping Gu10 socket Max 50w / bulb not included / Gu10 5W LED Bulb recommended

installation     IP20 / 90MM hexagon lamp shade / 2 meter cable default







**2021 SPRING
NEW
PENDENT LIGHT
SERIES**









code [GD-LPL366-BK](#)

casing aluminum / black painting / 2xGu10 socket / bulb not included max 2x20W /

installation     IP20 lamp shade 104x180 x160mm 2meter cable / cable length customizable





code [GD-LPL366-WT](#)

casing aluminum / white painting / 2xGu10 socket / bulb not included max 2x20W /

installation     IP20 lamp shade 104x180 x160mm 2meter cable / cable length customizable

code [GD-LPL366-GR](#)





casing aluminum / grey painting / 2xGu10 socket / bulb not included max 2x20W /

installation     IP20 lamp shade 104x180 x160mm 2meter cable / cable length customizable







code [GD-LPL367-BK](#)

casing aluminum / black painting / 3xGu10 socket / bulb not included max 3x20W /

installation     IP20 lamp shade 104x270 x160mm 2meter cable / cable length customizable





code [GD-LPL367-WT](#)

casing aluminum / white painting / 3xGu10 socket / bulb not included max 3x20W /

installation     IP20 lamp shade 104x270 x160mm 2meter cable / cable length customizable

code [GD-LPL367-GR](#)

casing aluminum / grey painting / 3xGu10 socket / bulb not included max 3x20W /





installation     IP20 lamp shade 104x270 x160mm 2meter cable / cable length customizable









code [GD-LPL368-BK](#)

casing aluminum / black painting / 4xGu10 socket / bulb not included max 4x20W /

installation     IP20 lamp shade 180x260 x160mm 2meter cable / cable length customizable





code [GD-LPL368-WT](#)

casing aluminum / white painting / 4xGu10 socket / bulb not included max 4x20W /

installation     IP20 lamp shade 180x260 x160mm 2meter cable / cable length customizable

code [GD-LPL368-GR](#)





casing aluminum / grey painting / 4xGu10 socket / bulb not included max 4x20W /

installation     IP20 lamp shade 180x260 x160mm 2meter cable / cable length customizable







code [GD-LPL369-BK](#)

casing aluminum / black painting / 7xGu10 socket / bulb not included max 7x20W /

installation     IP20 lamp shade 270x260 x160mm 2meter cable / cable length customizable





code [GD-LPL369-WT](#)

casing aluminum / white painting / 7xGu10 socket / bulb not included max 7x20W /

installation     IP20 lamp shade 270x260 x160mm 2meter cable / cable length customizable


code [GD-LPL369-GR](#)

casing aluminum / grey painting / 7xGu10 socket / bulb not included max 7x20W /


installation     IP20 lamp shade 270x260 x160mm 2meter cable / cable length customizable




MEASUREMENTS FOR THE PENDENTS




GD-LPL364




GD-LPL366



GD-LPL367



GD-LPL368



GD-LPL369

led pendant light
bracket series



code [GD-LPL165-BK](#) / [GD-LPL165-WT](#)

casing aluminum / black/white painting / lamping SMD 6W / Ra>80 / 600LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 148mm x 60mm 1meter cable / cable length customizable

code [GD-LPL165-CR](#) / [GD-LPL165-GD](#) / [GD-LPL165-SL](#)

casing aluminum / chrome plated / anodized gold / anodized silver





/ lamping SMD 6W / Ra>80 / 600LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 148mm x 60mm 1meter cable / cable length customizable



code **GD-LPL166-BK** surface customizable white paint similar to RAL9003 chrome plated concrete grey paint similar to RAL7037 anodized gold brushed circular


casing aluminum / black painting / lamping LED 3x4W / Ra>80 /1200LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia148mm x 60mm 1meter cable / cable length customizable/ 50x30x670mm base



code **GD-LPL167-BK** surface customizable white paint similar to RAL9003 chrome plated concrete grey paint similar to RAL7037 anodized gold brushed circular

casing aluminum / black painting / lamping LED 4x4W / Ra>80 /1600LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia148mm x 60mm 1meter cable / cable length customizable/ 50x30x955mm base



code **GD-LPL168-BK** surface customizable white paint similar to RAL9003 chrome plated concrete grey paint similar to RAL7037 anodized gold brushed circular





casing aluminum / black painting / lamping LED 3x4W / Ra>80 /1200LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia148mm x 60mm 1meter cable / cable length customizable/ 720mm length



code **GD-LPL169-BK** surface customizable white paint similar to RAL9003 chrome plated concrete grey paint similar to RAL7037 anodized gold brushed circular

casing aluminum / black painting / lamping LED 4x4W / Ra>80 / 1600LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia148mm x 60mm 1meter cable / cable length customizable/ 1000mm length




code **GD-LPL170-BK** surface customizable white paint similar to RAL9003 chrome plated concrete grey paint similar to RAL7037 anodized gold brushed circular

casing aluminum / black painting / lamping LED 5x4W / Ra>80 / 2000LM / acrylic diffuser / 2700K/3000K/4000K/6000K



installation IP20 lamp shade dia148mm x 60mm 1meter cable / cable length customizable/ 1000mm length





code **GD-LPL187** surface customizable  white paint similar to RAL9003  chrome plated  concrete grey paint similar to RAL7037  anodized gold brushed circular

casing aluminum / anodized black / lamping LED 3W / Ra>80 / 120LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia28mm x 500mm 1meter cable / cable length customizable



code **GD-LPL188** surface customizable white paint similar to RAL9003 chrome plated concrete grey paint similar to RAL7037 anodized gold brushed circular

casing aluminum / anodized black / lamping LED 3x3W / Ra>80 /360LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia28mm x 500mm 1meter cable / cable length customizable / base 50x30x500mm









GD-LPL174



GD-LPL176

code **GD-LPL174** surface customizable white paint similar to RAL9003 chrome plated concrete grey paint similar to RAL7037 anodized gold brushed circular

casing aluminum / anodized silver / lamping COB 5W / Ra>90 /430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 60mm x 157mm 1meter cable / cable length customizable

code **GD-LPL176** surface customizable white paint similar to RAL9003 chrome plated concrete grey paint similar to RAL7037 anodized gold brushed circular

casing aluminum / anodized silver / lamping COB 5W / Ra>90 /430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 110mm x 62mm 1meter cable / cable length customizable



GD-LPL236



GD-LPL237



GD-LPL238

code **GD-LPL236** surface customizable white paint similar to RAL9003 chrome plated concrete grey paint similar to RAL7037 anodized gold brushed circular

casing aluminum / anodized black / lamping COB 5W / Ra>90 /430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 60mm x 195mm / 1meter cable / cable length customizable

code **GD-LPL237** surface customizable white paint similar to RAL9003 chrome plated concrete grey paint similar to RAL7037 anodized gold brushed circular


casing aluminum / anodized black / lamping COB 5W / Ra>90 /430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 80mm x 115mm / 1meter cable / cable length customizable

code **GD-LPL238** surface customizable white paint similar to RAL9003 chrome plated concrete grey paint similar to RAL7037 anodized gold brushed circular

casing aluminum / anodized black / lamping COB 5W / Ra>90 /430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 110mm x 70mm / 1meter cable / cable length customizable



code **GD-LPL239**

surface customizable





white paint similar to RAL9003

chrome plated

concrete grey paint similar to RAL7037

anodized gold brushed circular

casing aluminum / anodized black / lamping COB 3x5W / Ra>90 / 1290LM / acrylic diffuser / 2700K/3000K/4000K/6000K





installation     IP20 lamp shade as line drawing / 1 meter cable / cable length customizable



code **GD-LPL273**

surface customizable  black paint equal to RAL9011  chrome plated  concrete grey paint similar to RAL7037

casing steel / white painting / lamping SMD 7x6W / Ra>80 / 4200LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade totally dia320x320mm / 1meter cable / cable length customizable



code **GD-LPL272**

surface customizable black paint equal to RAL9011 chrome plated concrete grey paint similar to RAL7037

casing steel / white painting / lamping SMD 3x6W / Ra>80 /1800LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade totally dia 220x290mm / 1meter cable / cable length customizable

code **GD-LPL271**

surface customizable black paint equal to RAL9011 chrome plated concrete grey paint similar to RAL7037

casing steel / white painting / lamping SMD 6W / Ra>80 /600LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 100x290mm / 1meter cable / cable length customizable





code **GD-LPL292-BK**

casing aluminum / anodized black / lamping E27 Socket / bulb not inculed

installation     IP20

lamp shade dia140x230mm / 1meter cable / cable length customizable

surface customizable

 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **GD-LPL292-GD**

casing aluminum / anodized gold / lamping E27 Socket / bulb not inculed

installation     IP20

lamp shade dia140x230mm / 1meter cable / cable length customizable

surface customizable

 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **GD-LPL292-SL**

casing aluminum / anodized silver / lamping E27 Socket / bulb not inculed

installation     IP20

lamp shade dia140x230mm / 1meter cable / cable length customizable

surface customizable

 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **GD-LPL293-BK**

surface customizable  white paint similar to RAL9003  concrete grey paint similar to RAL7037

casing aluminum / anodized black / lamping SMD 6W / Ra>80 / 600LM / Acrylic cover / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 140mm x 230mm 1meter cable / cable length customizable

code **GD-LPL293-SL**

surface customizable  white paint similar to RAL9003  concrete grey paint similar to RAL7037

casing aluminum / anodized silver / lamping SMD 6W / Ra>80 / 600LM / Acrylic cover / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 140mm x 230mm 1meter cable / cable length customizable

code **GD-LPL293-GD**

surface customizable  white paint similar to RAL9003  concrete grey paint similar to RAL7037

casing aluminum / anodized gold / lamping SMD 6W / Ra>80 / 600LM / Acrylic cover / 2700K/3000K/4000K/6000K





installation     IP20 lamp shade dia 140mm x 230mm 1meter cable / cable length customizable





surface
customizable

all following color
can be separately
used for up and down
ring shade

-  black paint
equal to RAL9011
-  white paint
similar to RAL9003
-  concrete grey paint
similar to RAL7037
-  anodized silver
brushed circular

code [GD-LPL173-BK](#) / [GD-LPL173-CR](#) / [GD-LPL173-GD](#)

casing aluminum / down ring white painting + up ring black painting / chrome plated / anodized gold / lamping E27 Socket / bulb not inculed

installation     IP20 lamp shade dia148x270mm / 1meter cable / cable length customizable






















GD-LPL196




GD-LPL197

code **GD-LPL196** surface customizable  black paint equal to RAL9011  white paint similar to RAL9003  anodized silver brushed circular  anodized gold brushed circular
 casing aluminum / chrome plated / lamping LED 18W / Ra>80 / 1800LM / acrylic cover / 2700K/3000K/4000K/6000K
 installation     IP20 lamp shade totally dia 385 mm / 1meter cable / cable length customizable

code **GD-LPL197** surface customizable  black paint equal to RAL9011  white paint similar to RAL9003  anodized silver brushed circular  anodized gold brushed circular
 casing aluminum / chrome plated / lamping LED 36W / Ra>80 / 3600LM / acrylic cover / 2700K/3000K/4000K/6000K
 installation     IP20 lamp shade totally dia 424 mm / 1meter cable / cable length customizable



Diabolo!!!





play the light

We create this series with lots of fun. When I make a family trip to Beijing years ago, I always heard lots of buzz noisy from sky far away and had no idea what it is and where it coming from. There is a chance when I talk about my doubt to a local friend. He was laughing and explained the sound is coming from a kind of a toy named diablo. And the next few days finally I saw it in real in a public park. There are lots of old people playing this kinds of thing with much much skill and having lots of fun. They wrap a strip over the middle of a wooden piece whose shape is like a Africa drum. Then they pull and push the strip the drum begin to rotate and faster and faster, There is much buzz noisy coming from the drum. I think it is wonderful things to master the skill and seeing the piece rotating delightfully. I decide to design a lamp to commemorate the happiness of the trip. This is where the Diabolo series coming from.











code [GD-LPL335-BK](#) / [GD-LPL335-WT](#)





casing Steel / [black painting](#) / [white painting](#) / lamping [up LED 10W](#) / [down LED 10W](#) / [Ra>80](#) / [2000LM](#) / [2700K/3000K/4000K/6000K](#)


installation     IP20 lamp shade dia220mm x 50mm 2meter cable / cable length customizable



code [GD-LPL335-GR](#) / [GD-LPL335-YW](#)





casing Steel / [grey painting](#) / [yellow painting](#) / lamping up LED 10W / down LED 10W / Ra>80 / 2000LM / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia220mm x 50mm 2meter cable / cable length customizable




code **GD-LPL335-RD / GD-LPL335-GN**

casing Steel / red painting / green painting / lamping up LED 10W / Ra>80 / 2000LM / 2700K/3000K/4000K/6000K
down LED 10W

installation     IP20 lamp shade dia220mm x 50mm 2meter cable / cable length customizable

MEASUREMENTS FOR THE PENDENTS



GD-LPL229



LUNA SERIES

THE NAME IS
MEANINGLESS

WE JUST LIKE THE
LAMP AND THE NAME



H002





code **GD-LPL336-GD**

surface customizable



chrome plated








concrete grey paint similar to RAL7037










white paint similar to RAL9003






casing aluminum+steel / black painting / anodized golden / lamping COB 3W / Ra>90 / 240LM / Beam 10/23/38 degree / 2700K/3000K/4000K/5000K


installation     IP20 lamp shade dia40mm x60mm / the ring dia 300mm/1.6meter cable /cable length customizable




code **GD-LPL337-GD** surface customizable  chrome plated  concrete grey paint similar to RAL7037  white paint similar to RAL9003
casing aluminum+steel / black painting / anodized golden / lamping COB 2X3W / Ra>90 / 480LM / Beam 10/23/38 degree / 2700K/3000K/4000K/5000K
installation     IP20 lamp shade dia40mm x60mm / the ring 500X300mm/1.6meter cable /cable length customizable




code **GD-LPL338-GD** surface customizable  chrome plated  concrete grey paint similar to RAL7037  white paint similar to RAL9003
casing aluminum+steel / black painting / anodized golden / lamping COB 3X3W / Ra>90 / 720LM / Beam 10/23/38 degree / 2700K/3000K/4000K/5000K
installation     IP20 lamp shade dia40mm x60mm / the ring 700X300mm/1.6meter cable /cable length customizable







MEASUREMENTS FOR THE PENDENTS



GD-LPL336



GD-LPL337




GD-LPL338



NETWORKS

Pendent
Series



NETWORKS







This series are meant to give a even lighting effect in the circumstance like living room,dinning table,restaurant,while the lamp takes a attracting attention in the space.The basic unit is a square of 285mm by 285mm. We designed six basic models which is from 2x3 to 4x4 squares.Of coures customer can require any models with more squares,while they have larger applications like hotel lobby,big hollows and etc.Every characteristics of this series is well designed and considered. The light coming from the acrylic is bright but not dazzling.The slim body of the lamp creates a brisk space.











J003

what we have in standard



you can have more









code **GD-LPL339-BK**

surface customizable  chrome plated  concrete grey paint similar to RAL7037





casing aluminum+steel / black painting / lamping cree 6W / Ra>80 /420LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 grille size 285mm x 535mm 1.2meter cable / cable length customizable

code **GD-LPL340-BK**

surface customizable  chrome plated  concrete grey paint similar to RAL7037

casing aluminum+steel / black painting / lamping cree 8W / Ra>80 /560LM / acrylic diffuser / 2700K/3000K/4000K/6000K





installation     IP20 grille size 285mm x 785mm 1.2meter cable / cable length customizable



code **GD-LPL342-BK**

surface customizable  chrome plated  concrete grey paint similar to RAL7037





casing aluminum+steel / black painting / lamping cree 9W / Ra>80 /630LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 grille size 535mm x 535mm 1.2meter cable / cable length customizable

code **GD-LPL343-BK**

surface customizable  chrome plated  concrete grey paint similar to RAL7037



casing aluminum+steel / black painting / lamping cree 15W / Ra>80 /1050LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 grille size 535mm x 1035mm 1.2meter cable / cable length customizable









code **GD-LPL344-BK**



surface customizable  chrome plated  concrete grey paint similar to RAL7037

casing aluminum+steel / black painting / lamping cree 16W / Ra>80 / 1120LM / acrylic diffuser / 2700K/3000K/4000K/6000K





installation     IP20 grille size 785mm x 785mm 1.2meter cable / cable length customizable



code **GD-LPL339-WT**

surface customizable  chrome plated  concrete grey paint similar to RAL7037





casing aluminum+steel / white painting / lamping cree 6W / Ra>80 /420LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 grille size 285mm x 535mm 1.2meter cable / cable length customizable

code **GD-LPL340-WT**

surface customizable  chrome plated  concrete grey paint similar to RAL7037

casing aluminum+steel / white painting / lamping cree 8W / Ra>80 /560LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 grille size 285mm x 785mm 1.2meter cable / cable length customizable



code **GD-LPL341-WT**

surface customizable chrome plated concrete grey paint similar to RAL7037

casing aluminum+steel / white painting / lamping cree 10W / Ra>80 /700LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 grille size 285mm x 1035mm 1.2meter cable / cable length customizable


code **GD-LPL343-WT**

surface customizable chrome plated concrete grey paint similar to RAL7037

casing aluminum+steel / white painting / lamping cree 15W / Ra>80 /1050LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 grille size 535mm x 1035mm 1.2meter cable / cable length customizable










code **GD-LPL342-WT**

surface customizable  chrome plated  concrete grey paint similar to RAL7037





casing aluminum+steel / white painting / lamping cree 9W / Ra>80 /630LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 grille size 535mm x 535mm 1.2meter cable / cable length customizable


code **GD-LPL344-WT**

surface customizable  chrome plated  concrete grey paint similar to RAL7037


casing aluminum+steel / white painting / lamping cree 16W / Ra>80 /1120LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 grille size 785mm x 785mm 1.2meter cable / cable length customizable


MEASUREMENTS FOR THE PENDENTS




GD-LPL339




GD-LPL340




GD-LPL341



GD-LPL342



GD-LPL343



GD-LPL344









code **GD-LPL212-BK**

surface customizable  concrete grey paint similar to RAL7037  anodized silver sandblasted  anodized gold sandblasted

casing aluminum / black painting / lamping LED 12x3W / Ra>80 /1440LM / acrylic diffuser / 2700K/3000K/4000K/6000K




installation     IP20 lamp shade total dia 585mm / 1meter cable / cable length customizable



code **GD-LPL212-WT**

surface customizable  concrete grey paint similar to RAL7037  anodized silver sandblasted  anodized gold sandblasted

casing aluminum / white painting / lamping LED 12x3W / Ra>80 /1440LM / acrylic diffuser / 2700K/3000K/4000K/6000K




installation     IP20 lamp shade total dia 585mm / 1meter cable / cable length customizable



code **GD-LPL213-BK**

surface customizable  concrete grey paint similar to RAL7037  anodized silver sandblasted  anodized gold sandblasted

casing aluminum / black painting / lamping LED 24x3W / Ra>80 / 2880LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade total dia 655mm / 1meter cable / cable length customizable



code **GD-LPL213-WT**

surface customizable  concrete grey paint similar to RAL7037  anodized silver sandblasted  anodized gold sandblasted

casing aluminum / White painting / lamping LED 24x3W / Ra>80 /2880LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade total dia 655mm / 1meter cable / cable length customizable










GD-LPL214-BK



GD-LPL214-WT





code **GD-LPL214-BK**

surface customizable  concrete grey paint similar to RAL7037  anodized silver sandblasted  anodized gold sandblasted


casing aluminum / black painting / lamping LED 42x3W / Ra>80 / 5040LM / acrylic diffuser / 2700K/3000K/4000K/6000K


installation     IP20 lamp shade total dia 775mm / 1meter cable / cable length customizable

code **GD-LPL214-WT**

surface customizable  concrete grey paint similar to RAL7037  anodized silver sandblasted  anodized gold sandblasted

casing aluminum / white painting / lamping LED 42x3W / Ra>80 / 5040LM / acrylic diffuser / 2700K/3000K/4000K/6000K





installation     IP20 lamp shade total dia 775mm / 1meter cable / cable length customizable



code **GD-LPL256**

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037 anodized gold sandblasted

casing aluminum / black painting / lamping LED 108W / Ra>80 / 10800LM / acrylic cover / 2700K/3000K/4000K/6000K

installation     IP20 Ring dia 659/790/922mm / 1meter cable / cable length customizable





code **GD-LPL252**

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037 anodized gold sandblasted

casing aluminum / black painting / lamping LED 24W / Ra>80 /2400LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 Ring dia 527mm / 1meter cable / cable length customizable

code **GD-LPL253**

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037 anodized gold sandblasted

casing aluminum / black painting / lamping LED 30W / Ra>80 /3000LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 Ring dia 659mm / 1meter cable / cable length customizable



code **GD-LPL254** surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037 anodized gold sandblasted

casing aluminum / black painting / lamping LED 36W / Ra>80 /3600LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 Ring dia 790mm / 1meter cable / cable length customizable

code **GD-LPL255** surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037 anodized gold sandblasted

casing aluminum / black painting / lamping LED 42W / Ra>80 /4200LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 Ring dia 922mm / 1meter cable / cable length customizable



GD-LPL222



GD-LPL221



GD-LPL223

code **GD-LPL221**

surface customizable

■ concrete grey paint similar to RAL7037

■ white paint similar to RAL9003

casing aluminum heat sink white paint inside / steel shade black paint outside / lamping COB 9W / Ra>90 / 800LM / acrylic diffuser inside / 2700K/3000K/4000K/6000K

installation ■ ⓘ CE ▽ IP20 lamp shade dia 250 mm x 200mm 1meter cable / cable length customizable

code **GD-LPL222**

surface customizable

■ concrete grey paint similar to RAL7037

■ white paint similar to RAL9003

casing aluminum heat sink white paint inside / steel shade black paint outside / lamping COB 9W / Ra>90 / 800LM / acrylic diffuser inside / 2700K/3000K/4000K/6000K

installation ■ ⓘ CE ▽ IP20 lamp shade dia 200 mm x 180mm 1meter cable / cable length customizable

code **GD-LPL223**

surface customizable

■ concrete grey paint similar to RAL7037

■ white paint similar to RAL9003

casing aluminum heat sink white paint inside / steel shade black paint outside / lamping COB 9W / Ra>90 / 800LM / acrylic diffuser inside / 2700K/3000K/4000K/6000K


installation ■ ⓘ CE ▽ IP20 lamp shade dia 300 mm x 90mm 1meter cable / cable length customizable



Cone -shape base with no installation nuts outside makes the whole lamp harmonious



Spot light inside the cape makes this series unique it becomes a hanging spotlight when people thinks it is diffused



It has a perfect structure with no any screw or nuts outside the lamp the whole design looks so harmonius

code **GD-LPL227-WT / GD-LPL227-GR / GD-LPL227-BK**

casing aluminum heat sink white / grey / black, steel shade / inside and outside lamping COB 5W / Ra>90 /430LM / 10/23/38 degree / 2700K/3000K/4000K/6000K


installation IP20 lamp shade dia 250 mm x 153mm 1meter cable / cable length customizable




BIGGER VERSION
DIA 310MM
FOR GD-LPL227 SERIES



Cone -shape base with no installation nuts outside makes the whole lamp harmonious







Spot light inside the cape makes this series unique it becomes a hanging spotlight when people thinks it is diffused





It has a perfect structure with no any screw or nuts outside the lamp the whole design looks so harmonius

code **GD-LPL228-WT / GD-LPL228-GR / GD-LPL228-BK**

casing aluminum heat sink white / grey / black, steel shade / inside and outside lamping COB 9W / Ra>90 /800LM / 10/23/38 degree / 2700K/3000K/4000K/6000K


installation     IP20 lamp shade dia 310 mm x 213mm 1meter cable / cable length customizable



Cone -shape base with no installation nuts outside makes the whole lamp harmonious



With a little aluminum piece the acrylic cover installed on the cape diffuses the light soft and even






It has a perfect structure with no any screw or nuts outside the lamp the whole design looks so harmonius

code **GD-LPL298-BK / GD-LPL298-WT**

surface customizable  concrete grey paint similar to RAL7037

casing aluminum heat sink black / white paint / steel shade / lamping SMD 10W / Ra>80 / 1000LM / acrylic diffuser / 2700K/3000K/4000K/6000K


installation     IP20 lamp shade dia 250 mm x 153mm 1meter cable / cable length customizable



Cone -shape base with no installation nuts outside makes the whole lamp harmonious



With a little aluminum piece the acrylic cover installed on the cape diffuses the light soft and even






It has a perfect structure with no any screw or nuts outside the lamp the whole design looks so harmonious

code **GD-LPL299-WT / GD-LPL299-BK**


surface customizable concrete grey paint similar to RAL7037

casing aluminum heat sink white / black paint / steel shade / lamping SMD 18W / Ra>80 / 1800LM / acrylic diffuser / 2700K/3000K/4000K/6000K


installation     IP20 lamp shade dia 310 mm x 213mm 1meter cable / cable length customizable

E27 SOCKET PENDENT LIGHT SERIES







code **GD-LPL313-WT**
 casing Steel
 finishing outer/white painting
 inner/ white painting
 lamping E27 Socket
 installation ceiling surface mount
 black fabric cable 1M long customizable
 ☐ Ⓢ ⒸⒺ ⚠ IP20 ⚠ 0.75kg




code **GD-LPL314-WT**
 casing Steel
 finishing outer/white painting
 inner/ white painting
 lamping E27 Socket
 installation ceiling surface mount
 black fabric cable 1M long customizable
 ☐ Ⓢ ⒸⒺ ⚠ IP20 ⚠ 1.31kg




code **GD-LPL315-WT**
casing Steel
finishing outer/white painting
inner/ white painting
lamping E27 Socket
installation ceiling surface mount
black fabric cable 1M long customizable
☑️ Ⓛ Ⓢ Ⓜ IP20 🏠 0.87kg



code **GD-LPL316-WT**
casing Steel
finishing outer/white painting
inner/ white painting
lamping E27 Socket
installation ceiling surface mount
black fabric cable 1M long customizable
☑️ Ⓛ Ⓢ Ⓜ IP20 🏠 0.98kg




code **GD-LPL317-WT**
casing Steel
finishing outer/white painting
inner/ white painting
lamping E27 Socket
installation ceiling surface mount
black fabric cable 1M long customizable
☑️ Ⓛ Ⓢ Ⓜ IP20 ⚠️ 1.13kg




code **GD-LPL317-BK**
casing Steel
finishing outer/black painting
inner/ white painting
lamping E27 Socket
installation ceiling surface mount
black fabric cable 1M long customizable
☑️ Ⓛ Ⓢ Ⓜ IP20 ⚠️ 1.13kg







code **GD-LPL313-BK**
 casing Steel
 finishing outer/black painting
 inner/ white painting
 lamping E27 Socket
 installation ceiling surface mount
 black fabric cable 1M long customizable
 ☑ Ⓢ ⒸⒺ ⚠ IP20 ⚠ 0.75kg



code **GD-LPL314-BK**
 casing Steel
 finishing outer/black painting
 inner/ white painting
 lamping E27 Socket
 installation ceiling surface mount
 black fabric cable 1M long customizable
 ☑ Ⓢ ⒸⒺ ⚠ IP20 ⚠ 1.31kg




code **GD-LPL315-BK**
 casing Steel
 finishing outer/black painting
 inner/ white painting
 lamping E27 Socket
 installation ceiling surface mount
 black fabric cable 1M long customizable
 ☑ Ⓟ CE ⚠ IP20 ⚠ 0.87kg




code **GD-LPL316-BK**
 casing Steel
 finishing outer/black painting
 inner/ white painting
 lamping E27 Socket
 installation ceiling surface mount
 black fabric cable 1M long customizable
 ☑ Ⓟ CE ⚠ IP20 ⚠ 0.98kg



RELATED
PRODUCTS
IN THIS SERIES



Wall type
in white
LWA318-WT



Wall type
in grey
LWA318-GR



Ceiling type
in white
GD-LBL231-WT







Ceiling type
in grey
GD-LBL231-GR

code **GD-LPL312-WT**


surface customizable black paint equal to RAL9011

casing aluminum heat sink / white paint / steel sheet / lamping SMD 18W+cob 9w downlight / Ra>80 / 1800+800LM / 10/23/38 degree / 2700K/3000K/4000K/6000K


installation     IP20 lamp sheet Max dia 550 mm / 1meter cable / cable length customizable



RELATED
PRODUCTS
IN THIS SERIES



Wall type
in white
LWA318-WT



Wall type
in grey
LWA318-GR



Ceiling type
in white
GD-LBL231-WT







Ceiling type
in grey
GD-LBL231-GR


code **GD-LPL312-GR**

surface customizable  black paint equal to RAL9011

casing aluminum heat sink / steel sheet / grey paint / lamping SMD 18W+cob 9w downlight / Ra>80 /1800+800LM / 10/23/38 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp sheet Max dia 550 mm / 1meter cable / cable length customizable





code **GD-LPL357**

casing steel + aluminum


finishing black painting + anodized gold

lampping SMD 14W / Ra>80 / 1400LM


Beam 2700K/3000K/4000K/6000K

installation     IP20


surface customizable  white paint similar to RAL9003

 concrete grey paint similar to RAL7037

LEDPENDANT MEASUREMENTS




GD-HL012




GD-LPL045




GD-LPL201



GD-LPL149




GD-LPL150




GD-LPL151



GD-LPL264




GD-LPL226



GD-LPL274




GD-LPL152



GD-LPL153




GD-LPL154




GD-LPL155



GD-LPL286




GD-LPL287



GD-LPL288




GD-LPL290




GD-LPL268




GD-LPL262




GD-LPL263




GD-LPL190



GD-LPL191




GD-LPL119




GD-LPL120

LEDPENDANT MEASUREMENTS




GD-LPL185




GD-LPL186




GD-LPL165




GD-LPL166




GD-LPL167




GD-LPL168




GD-LPL169



GD-LPL170




GD-LPL187



GD-LPL188



GD-LPL174



GD-LPL176




GD-LPL236




GD-LPL237



GD-LPL238



GD-LPL239



GD-LPL273


LEDPENDANT MEASUREMENTS



GD-LPL272



GD-LPL271




GD-LPL292




GD-LPL293




GD-LPL173



GD-LPL217



GD-LPL215



GD-LPL281




GD-LPL279




GD-LPL282




GD-LPL280




GD-LPL194




GD-LPL205




GD-LPL196




GD-LPL197



GD-LPL212




GD-LPL213



GD-LPL214

LEDPENDANT MEASUREMENTS




GD-LPL252

GD-LPL253

GD-LPL254

GD-LPL255

GD-LPL256



GD-LPL221


GD-LPL222

GD-LPL223

GD-LPL162

GD-LPL163

GD-LPL164




GD-LPL171

GD-LPL172

GD-LPL227

GD-LPL228




GD-LPL298

GD-LPL299

GD-LPL312


LED CHANDELLIER
















code **GD-LBL169**

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037

casing aluminum / anodized black / lamping LED 12x3W / Ra>80 / 1440LM / acrylic diffuser / 2700K/3000K / 4000K/6000K


installation     IP20 DALI / 0/1-10V / TRIAC dimming driver customizable



code **GD-LBL167**


casing aluminum / anodized black /

installation     IP20

surface customizable  white paint similar to RAL9003  concrete grey paint similar to RAL7037

lamping LED 6x3W / Ra>80 / 720LM / acrylic diffuser 2700K/3000K / 4000K/6000K

DALI / 0/1-10V / TRIAC dimming driver customizable



code **GD-LBL168**


casing aluminum / anodized black /

installation     IP20

surface customizable  white paint similar to RAL9003  concrete grey paint similar to RAL7037

lamping LED 12x3W / Ra>80 / 1440LM / acrylic diffuser 2700K/3000K / 4000K/6000K

DALI / 0/1-10V / TRIAC dimming driver customizable




code **GD-LBL170**

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037

casing aluminum / anodized black / lamping LED 12x3W / Ra>80 / 1440LM / acrylic diffuser / 2700K/3000K / 4000K/6000K

installation IP20 DALI / 0/1-10V / TRIAC dimming driver customizable




code **GD-LBL171**

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037

casing aluminum / anodized black / lamping LED 18x3W / Ra>80 / 2160LM / acrylic diffuser / 2700K/3000K / 4000K/6000K





installation IP20 DALI / 0/1-10V / TRIAC dimming driver customizable




code **GD-LBL143**

surface customizable black paint equal to RAL9011 white paint similar to RAL9003 concrete grey paint similar to RAL7037

casing aluminum / chrome plated / lamping LED 24x1W / Ra>80 / 1680LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 DALI / 0/1-10V / TRIAC dimming driver customizable






code **GD-LBL139**

surface customizable ■ black paint equal to RAL9011 ■ white paint similar to RAL9003 ■ concrete grey paint similar to RAL7037

casing aluminum / chrome plated / lamping LED 3x6W / Ra>80 / 1800LM / acrylic cover / 2700K/3000K/4000K/6000K

installation ■ ⚡ CE ▽ IP20 DALI / 0/1-10V / TRIAC dimming driver customizable




code **GD-LBL140**

surface customizable ■ black paint equal to RAL9011 ■ white paint similar to RAL9003 ■ concrete grey paint similar to RAL7037

casing aluminum / chrome plated / lamping LED 6x6W / Ra>80 / 3600LM / acrylic cover / 2700K/3000K/4000K/6000K

installation ■ ⚡ CE ▽ IP20 DALI / 0/1-10V / TRIAC dimming driver customizable










code **GD-LBL158**

surface customizable anodized gold sandblasted white paint similar to RAL9003 concrete grey paint similar to RAL7037

casing aluminum / anodized black / lamping LED 10x3W / Ra>80 / 1200LM / acrylic diffuser 2700K/3000K / 4000K/6000K


installation     IP20 DALI / 0/1-10V / TRIAC dimming driver customizable




code **GD-LBL159**

surface customizable anodized gold sandblasted white paint similar to RAL9003 concrete grey paint similar to RAL7037

casing aluminum / anodized black / lamping LED 24x3W / Ra>80 / 2880LM / acrylic diffuser 2700K/3000K / 4000K/6000K

installation     IP20 DALI / 0/1-10V / TRIAC dimming driver customizable






code **GD-LBL160** surface customizable anodized gold sandblasted white paint similar to RAL9003 concrete grey paint similar to RAL7037

casing aluminum / anodized black / lamping LED 12x3W / Ra>80 / 1440LM / acrylic diffuser / 2700K/3000K / 4000K/6000K


installation IP20 DALI / 0/1-10V / TRIAC dimming driver customizable



code **GD-LBL161** surface customizable anodized gold sandblasted white paint similar to RAL9003 concrete grey paint similar to RAL7037

casing aluminum / anodized black / lamping LED 24x3W / Ra>80 / 2880LM / acrylic diffuser / 2700K/3000K / 4000K/6000K

installation IP20 DALI / 0/1-10V / TRIAC dimming driver customizable



surface customizable

- anodized gold sandblasted
- anodized black sandblasted
- white paint similar to RAL9003

code **GD-LBL216**

casing aluminum heat sink/ chrome plated


lamping LED 13X3W / Ra>80 / 1560LM

Beam acrylic diffuser /
2700K/3000K/4000K/6000K

installation IP20

section switch / remote controller

DALI / 0/1-10V / TRIAC
dimming driver customizable



surface customizable

- anodized gold sandblasted
- anodized black sandblasted
- white paint similar to RAL9003

code **GD-LBL217**

casing aluminum heat sink/ chrome plated


lamping LED 25X3W / Ra>80 / 3000LM

Beam acrylic diffuser /
2700K/3000K/4000K/6000K

installation IP20

section switch / remote controller

DALI / 0/1-10V / TRIAC
dimming driver customizable



surface customizable

- anodized gold sandblasted
- anodized black sandblasted
- white paint similar to RAL9003

code **GD-LBL218**

casing aluminum heat sink/ chrome plated


lamping LED 35X3W / Ra>80 / 4200LM

Beam acrylic diffuser /
2700K/3000K/4000K/6000K

installation IP20

section switch / remote controller

DALI / 0/1-10V / TRIAC
dimming driver customizable



surface customizable

- anodized black sandblasted
- concrete grey paint similar to RAL7037

code **GD-LBL165**


casing steel sheet / white paint

lamping LED 6X6W / Ra>80 / 3600LM

Beam indirect light / 2700K/3000K/4000K/6000K

installation IP20

DALI / 0/1-10V / TRIAC
dimming driver customizable



surface customizable

- anodized black sandblasted
- concrete grey paint similar to RAL7037

code **GD-LBL166**

casing steel sheet / white paint


lamping LED 9X6W / Ra>80 / 5400LM





Beam indirect light / 2700K/3000K/4000K/6000K

installation IP20

DALI / 0/1-10V / TRIAC
dimming driver customizable












code **GD-LPL241**
 casing steel sheet / white paint
 lamping LED 9X6W / Ra>80 /5400LM
 Beam indirect light /
 2700K/3000K/4000K/6000K
 installation     IP20

DALI / 0/1-10V / TRIAC
 dimming driver customizable

surface
 customizable



-  anodized black sandblasted
-  concrete grey paint similar to RAL7037




code **GD-LPL242**
 casing steel sheet / white paint
 lamping LED 13X6W / Ra>80 /7800LM
 Beam indirect light /
 2700K/3000K/4000K/6000K
 installation     IP20

DALI / 0/1-10V / TRIAC
 dimming driver customizable

surface
 customizable

-  anodized black sandblasted
-  concrete grey paint similar to RAL7037




code **GD-LBL231-WT**

casing aluminum / white paint / lamping SMD 18W+COB 9W / Ra>80 / 1800+800LM / 38 degree down/ 2700K/3000K/ 4000K/6000K


installation     IP20

DALI / 0/1-10V / TRIAC dimming driver customizable

Related Products



Wall mount
GD-LWA318
white paint




Wall mount
GD-LWA318
grey paint



pendant
GD-LPL312
white paint



pendant
GD-LPL312
grey paint



code **GD-LBL231-GR**


casing aluminum / grey paint / lamping SMD 18W+COB 9W / Ra>80 /1800+800LM / 38 degree down/

2700K/3000K/
4000K/6000K


installation IP20

DALI / 0/1-10V / TRIAC dimming driver customizable

Related Products



Wall mount
GD-LWA318
white paint




Wall mount
GD-LWA318
grey paint



pendant
GD-LPL312
white paint




pendant
GD-LPL312
grey paint



surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037
- anodized gold brushed circular



surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037
- anodized gold brushed circular

code **GD-LBL146**



casing aluminum / brushed silver / lamping LED 16W / Ra>80 / 1280LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 No dimming driver available / check photometric on page 001

code **GD-LBL147**


casing aluminum / brushed silver / lamping LED 36W / Ra>80 / 2880LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 No dimming driver available / check photometric on page 001



surface
customizable

- black paint
equal to RAL9011
- white paint
similar to RAL9003
- concrete grey paint
similar to RAL7037
- anodized gold
brushed circular



surface
customizable

- black paint
equal to RAL9011
- white paint
similar to RAL9003
- concrete grey paint
similar to RAL7037
- anodized gold
brushed circular

code **GD-LBL148**




casing aluminum / brushed silver / lamping LED 84W / Ra>80 /6720LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 No dimming driver available / check photometric on page 001

code **GD-LBL149**


casing aluminum / brushed silver / lamping LED 108W / Ra>80 /8640LM / acrylic cover / 2700K/3000K/4000K/6000K

installation IP20 No dimming driver available / check photometric on page 001



surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037
- anodized silver brushed linear







surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037
- anodized silver brushed linear





code **GD-LBL151**




casing aluminum / white paint / lamping LED 36W / Ra>80 / 2880LM / acrylic cover / 2700K/3000K/4000K/6000K

installation     IP20 No dimming driver available / check photometric on page 001

code **GD-LBL152**


casing aluminum / white paint / lamping LED 84W / Ra>80 / 6720LM / acrylic cover / 2700K/3000K/4000K/6000K

installation     IP20 No dimming driver available / check photometric on page 001



surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037
- anodized silver brushed linear



surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037
- anodized silver brushed linear

code **GD-LBL150**

casing aluminum white paint / lamping LED 48W / Ra>80 /3840LM / acrylic cover / 2700K/3000K/4000K/6000K


installation IP20 No dimming driver available / check photometric on page 001

code **GD-LBL153**


casing aluminum white paint / lamping LED 108W / Ra>80 /8640LM / acrylic cover / 2700K/3000K/4000K/6000K


installation IP20 No dimming driver available / check photometric on page 001

LED TABLE LAMPS





LED FLOOR LAMPS









code **GD-LTL027**
 casing steel / chrome plated
 lamping LED 3W / Ra>80 / 300LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation    IP20

surface
 customizable

-  black paint
 equal to RAL9011
-  white paint
 similar to RAL9003



code **GD-LTL032-GD**
 casing aluminum / anodized gold
 lamping LED 2x6W / Ra>80 / 1200LM
 Beam acrylic diffuser / up and down light
 2700K/3000K/4000K/6000K
 installation    IP20




code **GD-LTL032-SL**
 casing aluminum / anodized silver


code **GD-LTL032-BK**
 casing aluminum / anodized black



PENGUIN SERIES
TABLE READING LAMP

code **GD-LTL018-BK**
 casing steel / black painting
 lamping LED 3W / Ra>80 /120LM
 Beam 10/20/30 degree /
 2700K/3000K/4000K/6000K
 installation    IP20

code **GD-LTL018-WT**
 casing steel / white painting
 lamping LED 3W / Ra>80 /120LM
 Beam 10/20/30 degree /
 2700K/3000K/4000K/6000K
 installation    IP20




surface
customizable



chrome plated



concrete grey paint
similar to RAL7037



code **GD-LTL040**

casing aluminum / anodized black

lamping LED 3W / Ra>80 /120LM


Beam 10/20/30 degree /


2700K/3000K/4000K/6000K

installation    IP20

With a touch-on switch on the base

surface
customizable

 chrome plated

 white paint
similar to RAL9003



code **GD-LTL029-CR**

casing aluminum / chrome plated /

installation IP20

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037 anodized gold brushed circular

lamping COB 3W / Ra>90 / 300LM / acrylic diffuser / 2700K/3000K/4000K/6000K
EU standard plug with switch on the cable / 1.5M cable



code **GD-LTL030-CR**

casing aluminum / chrome plated /

installation IP20

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037 anodized gold brushed circular

lamping COB 3W / Ra>90 / 300LM / acrylic diffuser / 2700K/3000K/4000K/6000K
EU standard plug with switch on the cable / 1.5M cable




code **GD-LTL031-CR**

casing aluminum / chrome plated /

installation IP20

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037 anodized gold brushed circular



lamping COB 3W / Ra>90 / 300LM / acrylic diffuser / 2700K/3000K/4000K/6000K
EU standard plug with switch on the cable / 1.5M cable



code **GD-LTL029-BK**

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037 anodized gold brushed circular

casing aluminum / anodized black / lamping COB 3W / Ra>90 / 300LM / acrylic diffuser / 2700K/3000K/4000K/6000K


installation   **CE** IP20 EU standard plug with switch on the cable / 1.5M cable



code **GD-LTL030-BK**

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037 anodized gold brushed circular

casing aluminum / anodized black / lamping COB 3W / Ra>90 / 300LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation   **CE** IP20 EU standard plug with switch on the cable / 1.5M cable



code **GD-LTL031-BK**

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037 anodized gold brushed circular

casing aluminum / anodized black / lamping COB 3W / Ra>90 / 300LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation   **CE** IP20 EU standard plug with switch on the cable / 1.5M cable



code **GD-LTL022** surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037 anodized gold brushed circular

casing aluminum / anodized black / lamping LED 1W / Ra>80 / 70LM / acrylic diffuser / 2700K/3000K/4000K/6000K/RED/GREEN/BLUE

installation IP20 EU standard plug with switch on the cable / 1.5M cable

code **GD-LTL023** surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037 anodized gold brushed circular


casing aluminum / anodized black / lamping LED 1W / Ra>80 / 70LM / acrylic diffuser / 2700K/3000K/4000K/6000K/RED/GREEN/BLUE

installation IP20 EU standard plug with switch on the cable / 1.5M cable

code **GD-LTL024** surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037 anodized gold brushed circular

casing aluminum / anodized black / lamping LED 1W / Ra>80 / 70LM / acrylic diffuser / 2700K/3000K/4000K/6000K/RED/GREEN/BLUE

installation IP20 EU standard plug with switch on the cable / 1.5M cable



code **GD-LTL038-CR / GD-LTL038-WT / GD-LTL038-BK** surface customizable concrete grey paint similar to RAL7037 anodized gold brushed circular


casing aluminum+beech chrome plated / white paint / anodized black / lamping LED 3W / Ra>80 / 120LM / 30 degree / 2700K/3000K/4000K/6000K

installation **CE** IP20 EU standard plug with switch on the cable/ driver in the plug box / 1.5M cable




MINIMALIST
STYLE LED LAMPS
WALL/TABLE/FLOOR
LEAF SERIES





code **GD-LTL037**
casing steel + aluminum
finishing black painting +anodized gold
lamping SMD 4W / Ra>80 /400LM
Beam 2700K/3000K/4000K/6000K
installation     IP20
supplied with 1.5meter EU standard plug
switch in the base





code **GD-LFL047**

casing steel + aluminum

finishing black painting + anodized gold

lamping SMD 18W / Ra>80 / 1800LM

Beam 2700K/3000K/4000K/6000K

installation     IP20

supplied with 1.5meter EU standard plug

Touching switch in the base to dim the light

